

Reporting Instances by Measure

Report Includes Data from the July through November 2007 TAP Files Only

Participant Reporting Information				
Measure Statement	# NPI/TIN Submitting ^a	Opportunities to Report	Reported Instances	National Reporting Rate
Advance Care				
#47 Advance Care Plan	5,695	660,313	334,715	50.69%
Asthma				
#53 Pharmacologic Therapy	81	129	114	88.37%
#64 Asthma Assessment	54	83	68	81.93%
Breast Cancer				
#71 Hormonal Therapy for Stage IC-III, ER/PR Positive Breast Ca	2,190	94,060	47,325	50.31%
CABG				
#43 Use of IMA in CABG Surgery	1,020	13,589	9,592	70.59%
#44 Pre-Operative Beta-Blocker in Isolated CABG Surgery	706	9,428	6,349	67.34%
Cataracts				
#15 Assessment of Visual Functional Status	6,132	585,719	410,887	70.15%
#16 Doc of Pre-Surgical Axial Length, Corneal Power Measurement and Method of Intraocular Lens Power Calculation	2,557	218,669	165,547	75.71%
#17 Pre-Surgical Dilated Fundus Evaluation	2,372	206,336	155,527	75.38%
Chemotherapy				
#73 Plan Documented Before Chemotherapy Administered	1,139	26,891	15,905	59.15%
Chest Pain				
#54 ECG Performed for Non-Traumatic Chest Pain	19,938	266,268	218,653	82.12%
Colon Cancer				
#72 Chemotherapy for Stage III	1,423	18,042	8,409	46.61%
Chronic Obstructive Pulmonary Disease (COPD)				
#51 Spirometry	1,385	53,875	34,148	63.38%
#52 Bronchodilator Therapy	1,046	46,302	30,055	64.91%
Coronary Artery Disease				
#6 Oral Antiplatelet Therapy Prescribed for Patients with CAD	8,153	549,798	412,855	75.09%
#7 Beta-Blocker Therapy for CAD Patients with Prior MI	3,066	33,648	28,033	83.31%
Depression				
#9 Antidepressant Meds During Acute Phase for Patients with New Episode of Major Depression	373	5,031	3,420	67.98%
Diabetes				
#1 Hemoglobin A1c - Poor Control ^d	13,015	271,990	185,112	68.06%
#2 LDL Control	12,402	257,692	175,613	68.15%
#3 High Blood Pressure Control	12,499	262,880	180,473	68.65%
ESRD				
#37 Dialysis Dose	1,013	81,318	53,104	65.30%
#38 Hematocrit Level	1,027	81,726	54,987	67.28%
Fall Risk				
#4 Screening for Future Fall Risk	6,112	495,945	224,216	45.21%
GERD				
#60 Assessment for Alarm Symptoms	1,427	25,300	18,029	71.26%
#61 Upper Endoscopy for Patients with Alarm Symptoms	1,445	25,399	18,208	71.69%
#62 Biopsy for Barrett's Esophagus	722	8,155	5,346	65.55%

Participant Reporting Information				
Measure Statement	# NPI/TIN Submitting ^a	Opportunities to Report	Reported Instances	National Reporting Rate
#63 Barium Swallow - Inappropriate Use	789	15,498	9,894	63.84%
Primary Open Angle Glaucoma				
#12 Optic Nerve Evaluation	6,299	511,562	359,787	70.33%
Heart Failure				
#5 ACE Inhibitor or ARB Therapy for LVSD	5,776	101,831	77,701	76.30%
#8 Beta-Blocker Therapy for LVSD	5,164	95,820	74,138	77.37%
Imaging Stroke				
#10 CT or MRI Reports	4,513	59,642	38,417	64.41%
#11 Carotid Imaging Reports	2,838	17,599	11,649	66.19%
Chronic Lymphocytic Leukemia (CLL)				
#70 Baseline Flow Cytometry	1,066	8,739	5,717	65.42%
Macular Degeneration				
#13 Age-Related Eye Disease Study (AREDS) Prescribed/Recommended	5,326	289,692	192,531	66.46%
#14 Dilated Macular Examination	5,651	307,091	216,554	70.52%
Myelodysplastic Syndrome (MDS) and Acute Leukemias				
#67 Baseline Cytogenetic Testing Performed on Bone Marrow	772	10,310	6,480	62.85%
#68 Documentation of Iron Stores in Patients Receiving Erythropoietin Therapy	665	8,893	5,538	62.27%
Medication Reconciliation				
#46 Medication Reconciliation	1,190	20,301	6,681	32.91%
Melanoma				
#25 Patient Medical History	1,782	22,264	17,249	77.47%
#26 Complete Physical Skin Examination	1,759	22,126	16,983	76.76%
#27 Counseling on Self-Examination	1,724	21,806	16,413	75.27%
Multiple Myeloma				
#69 Treatment with Bisphosphonates	1,242	7,997	5,090	63.65%
Myocardial Infarction				
#28 Aspirin at Arrival	4,881	9,932	8,513	85.71%
#29 Beta-Blocker at Time of Arrival	1,308	2,473	2,072	83.78%
Osteoporosis				
#24 Osteoporosis: Communication with the Physician Managing Ongoing Care Post Fracture	435	4,756	1,887	39.68%
#39 Screening or Therapy for Osteoporosis for Women Aged 65 Years and Older	3,926	373,799	153,820	41.15%
#40 Osteoporosis: Management Following Fracture	522	3,493	1,413	40.45%
#41 Osteoporosis: Pharmacologic Therapy	2,477	41,592	28,810	69.27%
#42 Counseling for Vitamin D, Calcium Intake, and Exercise	1,537	31,307	22,914	73.19%
Perioperative Care				
#20 Timing of Antibiotic Prophylaxis - Ordering Physician	5,034	108,916	66,319	60.89%
#21 Selection of Prophylactic Antibiotic - First OR Second Generation Cephalosporin	3,745	81,669	47,356	57.99%
#22 Discontinuation of Prophylactic Antibiotics (Non-Cardiac Procedures)	3,478	62,179	36,826	59.23%
#23 VTE Prophylaxis	2,919	50,270	30,726	61.12%
#30 Timing of Prophylactic Antibiotic - Administering Physician	15,270	355,372	344,093	96.83%
#45 Discontinuation of Prophylactic Antibiotics	880	37,993	24,303	63.97%
Pharyngitis				
#66 Appropriate Testing for Children	0	0	0	0.00%
Pneumonia				
#56 Vital Signs for Community-Acquired Bacterial Pneumonia	12,130	65,259	56,003	85.82%

Participant Reporting Information				
Measure Statement	# NPI/TIN Submitting ^a	Opportunities to Report	Reported Instances	National Reporting Rate
#57 Assessment of Oxygen Saturation for Community-Acquired Bacterial Pneumonia	15,280	81,225	71,072	87.50%
#58 Assessment of Mental Status for Community-Acquired Bacterial Pneumonia	10,974	56,623	48,062	84.88%
#59 Empiric Antibiotic for Community-Acquired Bacterial Pneumonia	9,179	49,052	40,763	83.10%
Radiation Therapy (RT)				
#74 RT Recommended for Invasive Breast Ca Patients with Breast Conserving Surgery	453	1,284	857	66.74%
Retinopathy				
#18 Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy	4,293	94,997	68,769	72.39%
#19 Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care	4,547	98,667	73,323	74.31%
Stroke and Stroke Rehabilitation				
#31 DVT Prophylaxis for Ischemic Stroke or Intracranial Hemorrhage	578	3,353	2,179	64.99%
#32 Discharged on Antiplatelet Therapy	974	4,898	2,823	57.64%
#33 Anticoagulant Therapy Prescribed for Afib at Discharge	23	34	34	100.00%
#34 t-PA Considered	498	2,508	1,659	66.15%
#35 Screening for Dysphagia	433	2,699	1,732	64.17%
#36 Consideration of Rehabilitation Services	614	3,121	1,968	63.06%
Syncope				
#55 ECG Performed for Syncope	15,584	75,539	64,757	85.73%
Upper Respiratory Infection				
#65 Appropriate Treatment for Children	1	1	1	100.00%
Urinary Incontinence				
#48 Assessment of Presence or Absence of UI in Women Aged 65 Years and Older	1,816	115,352	54,209	46.99%
#49 Characterization of UI in Women Aged 65 Years and Older	955	16,504	11,597	70.27%
#50 Plan of Care for UI in Women Aged 65 Years and Older	984	16,315	11,345	69.54%

^a Includes all NPI/TINs submitting at least one Quality-Data Code for the measure.

Note: MCMP and PGP pilot program participants are excluded from these reports (based on the most recently received pilot participant list from ORD).