

INDEX

(Updated 09/08)

Index

- Abbreviations, state 46, 53
- Abstracted by 28H, 207
- Accession number 9, 33–34, 40, 210
- Address (number and street), patient 18
- Current 18, 49–54
- at Diagnosis 18, 42–47
- Administrative tracking 28H
- Age at diagnosis 58, 215
- in utero* 19, 58
- AJCC Cancer Staging Manual* 15, 125E, 125V–125BB
- AJCC TNM staging 15, 21–23, 27, 28J, 112–124
- Ambiguous diagnostic terms 3–4
- Ambiguous terms describing tumor spread 23–24
- Ambiguous Terminology Diagnosis 99A, 99C
- Analytic cases 3, 5
- Anus, primary site surgery codes 260
- Archive FIN 28H, 209, 209A
- NPI 9, 209A
- Articular cartilage, primary site surgery codes 266
- Assessment, pain [Item deleted]
- Autonomic nervous system, primary site codes 266
- Basal cell carcinoma 212, 217
- Behavior code 3, 9, 13, 94, 218, 220, 221
- Bile ducts, liver and intrahepatic, primary site surgery codes 261
- Bladder, primary site surgery codes 280
- Bones, primary site surgery codes 266
- Boost
- Defined 28C
- Dose: cGy 28D–28E, 162
- Treatment modality 28D–28E, 159
- Brain, primary site surgery codes 281
- Breast, primary site surgery codes 269–270
- Cancer identification 9–20, 83–103
- Behavior 3, 17, 94, 99G
- Grade 14–15, 95
- Histology 3, 11, 13, 17, 93, 99E
- Laterality 11–13, 16, 92, 221
- List of paired organ sites 12–13
- Primary site 3, 10, 16–18, 91, 99E, 99G, 99H, 212, 213, 215, 217, 220, 221, 228–229, 232
- Cancer status 28H, 201
- Cartilage, articular, primary site surgery codes 266
- Case
- Administration 28H–28J, 207–235
- Administrative tracking 28H
- Code versions used 28I
- EDITS overrides 28H–28I, 210–221
- Eligibility 3–7, 34, 94
- Cases
- Not* required by the CoC to be accessioned 5
- Reportable-by-agreement 4
- Central nervous system, other parts of, primary site surgery codes 281
- Cervix uteri, primary site surgery codes 271
- Chemotherapy 28D–28E, 101, 169–174
- at This facility 28D, 173–174
- City/town
- Current 51
- at Diagnosis 44
- Class of case 3, 5–7, 21, 83, 210
- Analytic 5–6
- Definitions 5–6
- Nonanalytic 5–6
- Clinical AJCC stage
- CoC requirements 20–21
- M 21, 114
- N 21, 113
- Staged by 21, 117
- Stage group 21, 115, 214
- Prefix/suffix descriptor 21, 116
- T 21, 112
- CoC coding system 28I
- Current 28I, 222–223
- Original 28I, 224–225
- Code versions used 28I
- Codes, unique patient identifier 9
- Coding principles, overview 9–28J
- Collaborative stage (CS) 22–26, 102–103A, 125–125EE, 235A–235E
- Collaborative Staging Manual and Coding Instructions* 23–25, 125, 125C, 125E, 125H, 125J, 125L, 125M, 125O, 125Q–125U
- Colon, primary site surgery codes 255–256
- Comorbidities and complications 19–20, 146
- #1–#10 69–75D
- Connective soft tissues 11
- Primary site surgery codes 266
- Conversion flag, ICD-O-2 and ICD-O-3 28I–28J, 232, 233
- Corpus uteri, primary site surgery codes 273–274
- County at diagnosis 48
- Cranial nerves, primary site surgery codes 281
- CS (Collaborative Stage) 22–26
- Derived AJCC M 23, 125I, 125M, 125Z,

- CS (Collaborative Stage) *continued*
- 125AADerived AJCC, 125H, 125J, 125X, 125Y
 - Derived AJCC stage group 125BB, 235A
 - Derived AJCC T 23, 125C, 125V, 125W
 - Extension 22-24, 125C, 125E, 125H, 125L
 - Lymph nodes 22-24, 125H, 125J, 125L
 - Reg nodes eval 22, 24, 125J
 - Mets at dx 22-24, 103, 125C, 125L, 125M
 - Mets eval 22-24, 125M
 - Site-specific factor 1 25, 125O
 - Site-specific factor 2 25, 125Q
 - Site-specific factor 3 25, 125R
 - Site-specific factor 4 25, 125S
 - Site-specific factor 5 25, 125T
 - Site-specific factor 6 25, 125U
 - Tumor size 22-24, 125, 125E
 - Tumor size/ext eval 22-24, 125E
 - Version first 23, 235D
 - Version latest 23, 235E
- Date
- of Birth 57
 - of Conclusive Diagnosis 99C
 - of First contact 6-7, 83, 87-88, 210
 - of First course of treatment 26, 28A-28B, 129-134, 138, 140, 148
 - of First recurrence 195-196
 - of First surgical procedure 26, 27-28B, 131-132
 - of Initial diagnosis 89-90
 - in utero* 19, 89
 - of Last contact or death . 87, 144, 199-201, 210
 - of Most definitive surgical resection of the primary site . . . 27, 28A, 133-134, 144
 - of Multiple Tumors 99E
 - of Surgical diagnostic and staging procedure 20, 107-108
 - of Surgical discharge 28A, 133, 144-146
 - Other treatment started 26, 129, 184-185
 - Radiation ended 28D, 166-167
 - Radiation started 28B, 129, 148-149
 - Systemic therapy started 26, 28E, 129, 169-170
- Death, date of last contact or 87, 144, 199-201, 210
- Derived
- AJCC flag 23, 235A
 - AJCC M 23, 125L, 125M, 125Z, 125AA
 - AJCC M descriptor 23, 25, 125AA
 - AJCC N 23, 125H, 125J, 125X, 125Y
 - AJCC N descriptor 25, 125Y
 - AJCC Stage group 25, 125BB
 - AJCC T 23, 125C, 125V, 125W
 - AJCC T descriptor 23, 125W
 - SS2000 23, 125EE, 235C
 - SS2000 flag 23, 235C
 - SS1977 23, 125DD, 235B
 - SS1977 flag 23, 235B
- Diagnosis, revising the original 18
- Diagnostic confirmation . . 99, 109, 111, 211, 216, 218-219
- Diagnostic terms 3-4
- Ambiguous 3
 - Examples 4
 - for Hematologic Malignancies [Appendix A] 239, 248
- Discharge, surgical
- Date of 28A, 133, 144-146
 - Readmission to the same hospital within 30 days of 27, 28B, 146
- Disease, stage of at Diagnosis 22, 27
- Dose: cGy
- Boost 28B-28C, 162
 - Regional 28B-28C, 158, 162
- EDITS overrides 28H-28I, 210-221
- Embolization 28G
- Chemoembolization 28G, 171, 173
 - Presurgical 28G
 - Radioembolization . . . 28G, 155-156, 159-160
 - Unknown embolizing agent 28G, 186, 187
 - with Alcohol 28G, 186
- Endocrine procedures, hematologic
- transplant and 28D-28E, 169, 182
- Esophagus, primary site surgery codes 252
- Facility
- Identification number (FIN) . 28H, 85-86, 208, 208A
 - Archive 28H, 209, 209A
 - Referred from 85, 85A
 - Referred to 86, 86A
- FIN (*see* Facility identification number)
- First contact, date of 6-7, 83, 87-88, 210
- First course of treatment . . 26-28G, 129-191, 196
- Date of . 26, 28A-28B, 129-134, 138, 140, 148
 - Palliative care 28F-28G, 109, 111, 135, 136, 138, 140, 142, 143, 150, 171, 173, 175, 177, 179, 181, 182, 186-187, 189-190
 - Radiation 28B-28D, 148-168, 189, 191
 - Surgery 27-28B, 131-147, 189, 191
 - Systemic therapy 28D-28E, 169-187, 189, 191
 - Time periods for 26-27
 - Treatment plan 26
- First name 40-41
- First recurrence
- Date of 195-196
 - Type of 28G, 197-198

- First surgical procedure, date of 26, 27–28B,
131–132
- Following registry 202
NPI 202A
- Follow-up
Items 28G–28H
Next (next follow-up method) 204
Physician 76
NPI 76A
Source 203
- Gleason score 15
- Grade
Bloom-Richardson score 14–15
Fuhrman 15
Three-grade systems 14–15
Two-grade systems 14
- Grade/differentiation 9, 14–15, 96–97
and AJCC staging 15
Conversion tables 14–15
- Gum, primary site surgery codes 249
- Hematologic transplant and endocrine
procedures 28D–28E, 169, 182
- Hematopoietic, reticuloendothelial, immuno-
proliferative, myeloproliferative
disease 28A, 100–103, 137–143
Primary site surgery codes 265
- Histology 9, 13, 17, 93, 218, 219, 221, 230–233
Non-malignant primary intracranial and CNS
Tumors 17–18
- Hormone therapy (hormone/steroid therapy) 28D–
28E, 101, 169, 175–178, 189, 191
at This facility 28D, 177–178
- Hypopharynx, primary site surgery codes 251
- ICD-9-CM codes 19–20, 68–75D
ICD-O-2 212, 213, 215, 217–221, 232
Conversion flag 28I, 232
ICD-O-3 3, 9, 12, 13, 15–17, 212, 213,
215, 217–221, 233
Conversion flag 27–28, 233
- ICD Revision Comorbidities and
Complications 234A
- Identifier codes, patient, unique 9
- Immunoproliferative disease, primary site surgery
codes 265
- Immunotherapy 28D–28E, 169, 179–181
at This facility 28D, 181
- Initial diagnosis
Date of 89–90
Revising the 18, 89
Stage of disease at 20–26
- Intracranial and central nervous system, non-
malignant 3, 17
- Intrahepatic bile ducts and liver, primary site
surgery codes 261
- Joints, primary site surgery codes 266
- Kaposi sarcoma 10, 16, 25
- Kidney, primary site surgery codes 279
- Larynx, primary site surgery codes 263
- Last contact or death, date of 87, 144, 199–201, 210
- Last name 39–40
- Laterality 10–13, 92, 221
- Leukemia 19, 26–27, 219
- Lip, primary site surgery codes 249
- Liver and intrahepatic bile ducts, primary site
surgery codes 261
- Lung, primary site surgery codes 264
- Lymph nodes, primary site surgery codes 283
- Lymph nodes, regional 22, 24, 28A, 102–103,
125H, 125J, 125L, 138–141, 151–152,
197–198
CS lymph nodes 22, 24, 125H, 125J, 125L
CS reg nodes eval 22, 24, 125J
Examined 22, 24, 102
Positive 22, 24, 103
Scope of surgery of 27–28A,
138–139, 164, 260, 264, 280
at This facility 27, 140–141, 260, 264, 280
- Lymphoma 10, 25, 219
- Margins, surgical, of primary site 27, 28A, 137
- Medical record number 36, 38
- Melanoma 10, 25
- Meninges 102–103, 138, 140, 151
Primary site surgery codes 281
- Mets
CS at dx 22–24, 103, 125C, 125L, 125M
CS eval 22–24, 125M
- Middle name (initial) 41
- Military medical record number suffix 38
- Modality, regional treatment 28B–28C, 155,
168, 184
- Morphology 13–14, 17, 212, 213, 215, 217,
218, 221
- Morphology coding system
Current 28I–28J, 230
Original 28I–28J, 231
- Mouth, primary site surgery codes 249
- Multiple primaries 16–18, 58, 91, 99E, 99G,
99H, 199–201
- Multiple Tumors Reported as One Primary 99E,

- Multiple Tumors as One Primary, *continued*
 99G, 99H
- Multiplicity Counter 99H
- Myeloproliferative disease 102–103, 137–143
 Primary site surgery codes 265
- NAACCR, Standards for Cancer Registries Volume II: Data Standards and Data Dictionary Version 11.1* 48, 56
- Name
 First 40–41
 Last 39–40
 Middle (middle initial) 41
- Nasopharynx, primary site surgery codes 251
- Nerves
 Cranial 138
 Primary site surgery codes 281
 Peripheral 12
 Primary site surgery codes 266
- Nervous system, autonomic 12
 Primary site surgery codes 266
- Nonanalytic 5-6
- Nondiagnostic terms, examples of 4
- Nonmalignant 3, 34-35, 201
- National Provider Identifier (NPI) 9
 NPI–Archive FIN 209A
 NPI–Following Physician 76A
 NPI–Following Registry 202A
 NPI–Institution Referred From 85A
 NPI–Institution Referred To 86A
 NPI–Managing Physician 75E
 NPI–Physician #3 78A
 NPI–Physician #4 79A
 NPI–Primary Surgeon 77A
 NPI–Reporting Facility 208A
- Number
 Accession 9, 33, 210
 Facility identification (FIN) 28H, 85, 86, 208, 208A
 Medical record 36, 38
 Military medical record, suffix 36, 38
 Sequence 9, 33–35, 210, 211, 213
 Social Security 37
 TNM edition 28I-28H, 234
 of Treatments to this volume 28B–28C, 163
- Oral cavity, primary site surgery codes 249
- Original diagnosis, revising the 18
- Organ sites
 list of paired 12-13
- Oropharynx, primary site surgery codes 251
- Other
 Physician 78, 79
 Treatment 28E-28F, 129, 184–187
 Date, started 26, 129, 184–185
 at This facility 28F, 187
- Outcomes, patient 195–204
- Ovary, primary site surgery codes 275
- Override
 ACSN/Class/Seq 28I, 210
 Age/Site/Morph 28I, 215
 CoC—Site/Type 28I, 212
 Histology 28I, 218
 HospSeq/DxConf 28I, 211
 HospSeq/Site 28I, 213
 Leuk, Lymphoma 28I, 219
 Site/Behavior 28I, 220
 Site/Lat/Morph 28I, 221
 Site/TNM-stage group 28I, 214
 Site/Type 28I, 217
 Surg/DxConf 28I, 216
- Overrides, EDITS 28H–28I
- Overview of Coding principles 9–28J
- Pain assessment [Item deleted]
- Paired organ sites 12-13
- Palate, primary site surgery codes 249
- Palliative care 28F–28G, 109, 111, 135-143, 150, 171-183, 186, 189–191
 at This facility 28F-28G, 191
- Pancreas, primary site surgery codes 262
- Parotid gland and other unspecified glands, primary site surgery codes 250
- Pathologic AJCC stage
 M 21, 120
 N 21, 119
 Staged by 21, 123
 Stage group 20-21, 121, 214
 Prefix/suffix descriptor 21, 122
 T 21, 118
- Patient address 18
 Current 18, 49-54
 at Diagnosis 18, 42-48
 Residency rules 18, 42–44, 47, 49–51
- Patient identification 9, 33–79
- Patient identifier codes, unique 9
- Patient outcomes 28G–28H, 195–204
- Pelvis, renal, primary site surgery codes 279
- Peripheral nerves, primary site surgery codes 266
- Pharynx, primary site surgery codes 251
- Physician
 #3 (Other physician) 78
 NPI 78A
 #4 (Other physician) 79
 NPI 79A
 Following 76

- Physician, *continued*
- NPI 76A
 - Managing, NPI 75E
 - Primary surgeon 77
 - NPI 77A
- Place of birth 56
- Postal code (ZIP code)
- Current 54
 - at Diagnosis 47, 54
- Primaries, multiple 16–18, 58, 91, 99E, 99G–99H, 199–201
- Primary payer at diagnosis 67–68
- Primary site 9–11, 91, 116, 131, 133, 135–147, 197–198, 211–215, 217, 220–221, 228–229, 232
- Date of most definitive surgical resection
- of the 27, 28A, 131, 133–134, 144
- Ill-defined 10, 28A, 102–103, 137–141
- Primary site surgery codes 285
- Reason for no surgery of 27, 28A, 147
- Site-specific surgery codes (*see also specific disease sites*) 249–284
- Surgical margins of 27, 28A, 137
- Surgical procedure of 27–28B, 111, 131, 135, 164
- at This facility 136
 - Unknown 10, 285
- Primary surgeon 77
- NPI 77A
- Prostate, primary site surgery codes 277
- Pyriform sinus, primary site surgery codes 251
- Treatment volume 28B, 151–154
- Readmission to the same hospital within 30 days of surgical discharge 27, 28A–28B, 146
- Rectosigmoid, primary site surgery codes . 257–258
- Rectum, primary site surgery codes 259
- Regional lymph nodes 22, 24, 28A, 102–105, 125H, 125J, 125L, 138–141, 151–152, 197–198
- CS lymph nodes ... 22, 24, 125H, 125J, 125L
 - CS reg nodes eval 22, 24, 125J
 - Examined 22, 24, 102
 - Positive 22, 24, 103
 - Scope of surgery of 27–28, 138–139, 164, 260, 264, 280
 - at This facility 27, 28A, 140–141, 260, 264, 280
- Registry, following 202
- Renal pelvis, primary site surgery codes 279
- Reportable-by-agreement cases 4
- Reticuloendothelial disease 28A, 102–103, 137–143
- Primary site surgery codes 265
- Rx coding system, current 28I–28J, 235
- Salivary glands, major, primary site surgery codes 250
- Scope of regional lymph node surgery 27–28, 138–139, 164, 260, 264, 280
- at This facility 27, 28A, 140–141, 260, 264, 280
- SEER
- 2007 Multiple Primary and Histology Coding Rules* 13, 16, 93, 99G
 - Program Coding and Staging Manual* .. 48, 56
 - SEER*Rx* 28D
 - Summary Staging Manual 1977* 125DD
 - Summary Staging Manual 2000* .. 124, 125EE
- Sequence
- Number 9, 33–35, 210, 211, 213
 - Radiation/surgery 28B–28C, 164–165
 - Systemic/surgery 183A
- Sex 66
- Single and subsequent primaries for hematologic malignancies 239
- Sinus, pyriform, primary site surgery codes ... 251
- Site-specific factors
- 1–6 (CS) 22, 24–25, 125O–125U
- Site coding system
- Current 28I–28J, 228
 - Original 28I–28J, 229
- Sites, all other, primary site surgery codes 284
- Size
- and TNM 112, 118

- Size, *continued*
- CS, tumor (cases diagnosed on or after January 1, 2004) 22, 24, 125-125D
 - Tumor (cases diagnosed before January 1, 2004) 100-101
 - Skin, primary site surgery codes 268
 - Social Security number 37
 - Soft tissues and TNM 11, 15
 - Primary site surgery codes 266
 - Spinal cord, primary site surgery codes 281
 - Spleen, primary site surgery codes 267
 - Squamous cell carcinoma 212, 217
 - Stage of disease at diagnosis 20-26, 107-124
 - Stage group 21
 - Clinical 21, 115
 - Pathologic 21, 121
 - Staged by 21
 - Clinical stage 21, 117
 - Pathologic stage 21, 123
 - State
 - Current 52
 - at Diagnosis 45, 52
 - Stomach, primary site surgery codes 253
 - Subcutaneous soft tissues, primary site surgery codes 266
 - Surgery 27-28B
 - Date of
 - First surgical procedure 26-28A, 129, 131-132
 - Most definitive surgical resection of the primary site 27-28A, 133-134
 - Surgical discharge 28A, 28C, 133, 144-146
 - Readmission to the same hospital within 30 days of surgical discharge 27, 28A-28B, 146
 - Reason for no, primary site 27, 28A-28B, 147
 - Scope of regional lymph node surgery 27, 28A-28B, 138-139, 164, 260, 264, 280
 - at This facility 28A, 140-141, 260, 264, 280
 - Surgical margins of the primary site 27, 28A, 137
 - Surgical procedure/other site 27, 28, 28A, 138, 140, 142-143, 164, 265, 269, 270, 272, 274-276, 285
 - at This facility 28A, 143, 265, 269, 270, 272, 274-276, 285
 - Surgical procedure of the primary site 27-28B, 111, 131, 135, 147, 164, 216
 - at This facility 28A, 136
 - Surgical diagnostic and staging procedure 20, 109
 - at This facility 20, 111
 - Systemic agents 28G
 - Systemic/Surgical Sequence 183A
 - Systemic Therapy 28D-28E, 79, 101, 129, 169-183B, 186, 187, 189-191
 - Chemotherapy 28D-28E, 101, 169-174
 - at This facility 28D, 173-174
 - Clarification of terms 28D
 - Date started 28D-28E, 129, 169-170
 - Hematologic transplant and endocrine procedures 28D-28E, 169, 182
 - Hormone (hormone/steroid therapy) 28D-28E, 169, 175, 178, 189, 191
 - at This facility 28D, 177-178
 - Immunotherapy 28D-28E, 169, 179-181
 - at This facility 28D, 181
 - Systemic/Surgery sequence. 183A
 - Terms 28D
 - Telephone 55
 - Testis, primary site surgery codes 278
 - Thyroid gland, primary site surgery codes 282
 - TNM
 - Edition number 28I-28J, 234
 - Staging, AJCC 15, 20-22, 112-124
 - Tongue, primary site surgery codes 249
 - Tonsil, primary site surgery codes 251
 - Tracking, administrative 28I-28J
 - Treatment
 - First course of 26-28J, 83, 89, 102-103, 129-191, 196
 - Date of first course of 26-27, 83, 102-103, 129-134, 138, 140, 148
 - Hematologic transplant and endocrine procedures 28D-28E, 169, 182
 - Other 28E-28F, 129, 184-187
 - Date started 26, 129, 184-185
 - at This facility 186-187
 - Palliative care 28F-28G, 109, 111, 135, 138, 142, 150, 171, 175, 179, 182, 186, 189-191
 - at This facility 28F, 136, 140, 143, 150, 172, 177, 181, 182, 187, 191
 - Radiation 28B-28D, 148-168
 - Boost definition 28C
 - Boost dose: cGy 28B-28C, 162
 - Boost treatment modality 28B-28C, 159
 - Date
 - Ended 28B, 28D, 166-167
 - Started 28B, 129, 148-149
 - Location of, treatment 28B, 150

- Radiation *continued*
- Number of treatments to this volume 28B–28C, 163
 - Radiation/surgery sequence 28B–28C, 164–165
 - Reason for no 28B, 28D, 168
- Treatment
- Regional
 - Dose: cGy . . 28B–28C, 155, 158, 162
 - Treatment modality 28B–28C, 156, 168
 - Treatment volume 28B, 151–154
 - Surgery 27–28B
 - Date of
 - First surgical procedure 26–28A, 129, 131–132
 - Most definitive surgical resection of the primary site 27–28A, 133–134, 144
 - Surgical discharge 28A, 133, 144–146
 - Readmission to the same hospital within 30 days of surgical discharge 27, 28A–28B, 146
 - Reason for no, primary site . 27, 28A–28B, 147
 - Scope of regional lymph node surgery . . . 27, 28A–28D, 138–139, 164, 260, 264, 280
 - at This facility 28A, 140–141, 260, 264, 280
 - Surgical margins of the primary site . . 27, 28A, 137
 - Surgical procedure/other site 27, 28, 28A, 138, 140, 142–143, 164, 265, 269, 270, 272, 274–276, 285
 - at This facility 28A, 143, 265, 269, 270, 272, 274–276, 285
 - Surgical procedure of the primary site 27–28B, 111, 131, 135, 147, 164, 216
 - at This facility 28A, 136
 - Systemic 28D–28E
 - Chemotherapy . . 28D–28E, 101, 169–174
 - at This facility 28F, 173–174
 - Hormone (hormone/steroid therapy) . 28D–28E, 101, 169, 175, 178, 189, 191
 - at This facility 28D, 177–178
 - Immunotherapy 28D–28E, 101, 169, 179–181
 - at This facility 28D, 181
 - /Surgical Sequence 183A
 - Treatment plan 26
 - Tumor spread, ambiguous terms describing 22
 - Tumor size
 - and TNM 112, 118
 - CS (cases diagnosed on or after January 1, 2004) 22, 24, 125–125D
 - (Cases diagnosed before January 1, 2004) . 100
 - Ureter, primary site surgery codes 279
 - Uteri, primary site surgery codes
 - Cervix 271
 - Corpus 273
 - Vital status 200

.....