

User Guide for the 2021 ACS NSQIP Pediatric Procedure Targeted Participant Use Data File (PUF)

American College of Surgeons National Surgical Quality Improvement Program - Pediatric

Released: October 2022



Contents

Secti	on	Page
1.	Introduction	1
2.	Merging Cases with the ACS NSQIP PUF	1
3.	Data Request Process	1
4.	File Description	2
5.	Data Collection Background and Data Quality	3
6.	Sampling Process and Case Exclusion Criteria	4
7.	Data Limitations	7
8.	Contact Information	8
9.	Frequently Asked Questions	9
10.	Data Variables and Definitions	12
	Procedure Targeted – Appendectomy	12
	 Procedure Targeted – Appendectority Procedure Targeted – Spinal Fusion 	13
	 Procedure Targeted – CSF Shunt 	14
	Procedure Targeted – Vesicoureteral Reflux (VUR)	15

1. Introduction

This document is designed to accompany the 2021 Pediatric Procedure Targeted Participant Use Data File (PUF) available for download on the American College of Surgeons National Surgical Quality Improvement Program Pediatric (ACS NSQIP Pediatric) website (www.facs.org/quality-programs/childrens-surgery/pediatric). The sections contained herein will provide the user with information on how to request the Pediatric Procedure Targeted PUF, the contents of the data files, the data collection background, the inclusion and exclusion criteria for cases and hospitals, the data limitations, and the data point definitions and descriptions.

This user guide applies specifically to the 2021 Pediatric Procedure Targeted PUF. Hospitals utilizing the Pediatric PUF from a different year should refer to the user guide specifically tailored to that particular data set.

2. Merging Cases with the ACS NSQIP Pediatric PUF

Using the unique CASE ID variable, target-specific variables can be merged to the main ACS NSQIP Pediatric PUF.

3. Data Request Process

An individual who has an official appointment at a fully enrolled Pediatric site and wants to obtain a copy of the Pediatric Procedure Targeted PUF can do so by visiting www.facs.org/quality-programs/childrens-surgery/pediatric and following the steps listed below:

- 1. From the ACS NSQIP Pediatric main page the requestor can click on "Request Participant Use Data File" link under Quality Support Tools.
- 2. Following a brief introduction, the requestor can click on "Request Data Set."
- 3. This will take the requestor to the Data Use Agreement. This is a 3-page document that implements the data protections of the Health Insurance Portability and Accountability Act of 1996 (HIPAA) and the ACS NSQIP Hospital Participation Agreement. Delivery of the PUF is contingent on agreement to the terms and conditions specified within the Data Use Agreement. The requestor can read the Data Use Agreement from this page or download the 3-page document. The requestor is then required to type in their first and last name and click on "Request Data File." By clicking on "Request Data File" the requestor agrees to the terms and conditions of the Data Use Agreement.
- 4. Requestors will then be required to complete a brief online form to provide ACS with basic information about themselves, including the participating hospital in which they are currently employed and in what capacity, as well as how the requestor plans on using the

- Pediatric PUF data. Once all of the required fields are completed, the requestor clicks "Submit."
- 5. ACS NSQIP staff will review the request in a timely manner. Program contacts at participating sites will be contacted at this time to confirm the requestor's affiliation with the hospital and confirm internal approval of the PUF request.
- 6. Following receipt and confirmation of the information submitted, an email will be sent to the requestor containing a username and password along with the URL to download the data. The web link will be active from the time of the email for 10 full days (240 hours).
- 7. The file will be available in 3 different formats (Text, SAS, SPSS) and depending on the connection speed should take between 5 and 30 minutes to download.
- 8. The requestor may be contacted to confirm receipt of the data file and allow for feedback on the delivery mechanism, data points contained, and data file format.

4. File Description

Each fall a Pediatric PUF will be made available for the previous calendar year's data. The Pediatric Procedure Targeted PUF is available in one of three different formats – Text, SAS, and SPSS. A brief description of the different formats follows:

File Name	Type	File Size	Variables	Cases	Sites
PEDS_TAR_APP_2021	TXT	3.4 MB	23	22,212	140
	SAS	9.7 MB	23	22,212	140
	SPSS	11.8 MB	23	22,212	140
PEDS_TAR_SPN_2021	TXT	486 KB	15	7,125	139
	SAS	1.9 MB	15	7,125	139
	SPSS	2.1 MB	15	7,125	139
PEDS_TAR_SHNT_2021	TXT	376 KB	13	2,411	135
	SAS	1.9 MB	13	2,411	135
	SPSS	1.8 MB	13	2,411	135
PEDS_TAR_VUR_2021	TXT	260 KB	15	1,807	126
	SAS	1.0 MB	15	1,807	126
	SPSS	1.0 MB	15	1,807	126

5. Data Collection Background and Data Quality

The ACS NSQIP Pediatric collects data on over 150 variables, including preoperative risk factors, intraoperative variables, and 30-day postoperative mortality and morbidity outcomes for patients undergoing major surgical procedures in both the inpatient and outpatient setting. A site's trained and certified Surgical Clinical Reviewer (SCR) captures these data using a variety of methods including medical chart abstraction.

Required data variables are entered via web-based data collection to the ACS NSQIP Pediatric website. Portions of the data may be automatically populated by a software program that was developed to extract data from the participating hospital's existing information systems. Requestors should contact the SCR(s) at their hospital for detailed information on how the hospital collects its ACS NSQIP Pediatric data.

To ensure the data collected are of the highest quality, the ACS NSQIP Pediatric has developed a host of different training mechanisms for the SCRs and conducts a Data Audit of selected participating sites. In addition to an initial web-based training program, the ACS NSQIP Pediatric requires SCRs to complete a series of web-based training modules followed by a certification exam that must be taken annually. The modules and certification exam focus on the program, processes, and analysis; preoperative, intraoperative, and postoperative definitions; and case studies. These modules are complemented by a growing online decision support system that ensures the SCRs have the knowledge and resources available to collect high-quality data.

The Data Audit is a fundamental tool of ACS NSQIP Pediatric to assess the quality of the data collected at participating sites. The process involves the review of multiple charts, some of which are selected randomly and others selected based on criteria designed to identify potential reporting errors. For example, cases with five or more preoperative risk factors and no reported mortality or morbidity or cases with two or fewer preoperative risk factors and reported mortality or morbidity will be selected for chart review. Operating room logs are also audited to ensure correct sampling of cases.

The combined results of the audits completed to date revealed an overall disagreement rate of approximately 2% for all assessed program variables. The ACS NSQIP Pediatric has determined that a Data Audit disagreement rate of 5% or less is acceptable. Sites that have higher than a 5% disagreement rate are not provided a hospital odds ratio in the ACS NSQIP Pediatric Semiannual Report and may be required to undergo an additional audit following recommendations from the ACS NSQIP Pediatric.

6. Sampling Process and Case Exclusion Criteria

Systematic Sampling Process

Large surgical services normally experience a significant volume of surgical cases. This presents the SCRs with the problem of managing an overwhelming workload. Therefore, a systematic sampling system called the 8-day cycle was developed to prevent bias in choosing cases for assessment. The SCR uses the 8-day cycle to select completed cases from the hospital's final operative log. The final operative log includes any emergent, urgent or add-on procedures that were performed and excludes any scheduled procedures that were not performed. The operative log is sorted by the date of the operation, "Patient In Room" time, and finally Operating Room Suite Number. The 8-day cycle schedule works as follows: If the first cycle begins on a Monday, it continues through to include the following Monday (an 8-day period of time). The next cycle begins on Tuesday and continues through to include the following Tuesday, and so on. There are 46 8-day cycles in 1 year, and the program recommends that data be submitted for 40 of those cycles. The process ensures that cases have an equal chance of being selected from each day of the week.

Hospitals with a high volume of surgical cases capture the first 35 consecutive cases meeting the inclusion/exclusion criteria in the 8-day cycle following the systematic sampling guidelines.

Case Inclusion Criteria

The following inclusion criteria were applied to cases collected in 2021. For the current inclusion/exclusion criteria please contact the ACS NSQIP Pediatric Clinical Support Team at clinicalsupport@pediatric.acsnsqip.org.

The ACS NSQIP Pediatric includes all cases with CPT codes that are listed on the CPT inclusion list.

Case Exclusion Criteria

The following exclusion criteria were applied to cases collected in 2021. For the current inclusion/exclusion criteria please contact the ACS NSQIP Pediatric Clinical Support Team at clinicalsupport@pediatric.acsnsqip.org.

- Patients 18 years of age, or older.
- Cases involving Hyperthermic Intraperitoneal Chemotherapy (HIPEC), regardless of if the procedure performed has an included CPT code(s).
- ASA 6 (Declared brain-dead patient whose organs are being removed for donor purposes).
- Concurrent Case An additional operative procedure performed by a different surgical team (e.g., a different specialty/service) under the same anesthetic. An additional operative procedure with a CPT code different from that of the Primary Procedure

- performed by a different surgical team under the same anesthetic is listed as a concurrent procedure. A concurrent procedure is not included.
- Multiple cases within 30 days Multiple cases for the same patient within 30 days are excluded. (Only one case, per patient, per 30 day time frame can be abstracted for NSQIP-PEDs).
- Exclude a return to the operating room/ICU setting as the primary procedure, if it is related to an occurrence or complication from any procedure (surgical or otherwise) regardless of where the procedure was performed, within 30 days or within the same admission.
- Exclude a procedure performed by a surgical service not reviewed in Pediatric NSQIP.
- Transplant Cases Specifically: A patient who is admitted to the hospital for solid organ transplant surgery, and has additional surgical procedures performed during the same hospital stay, is excluded. Any operation performed after the patient has been discharged from the transplant stay is included.
- **Trauma and Abuse Cases**: Any case caused by a trauma or abuse with a principal ICD-10 diagnostic code within the ranges of S00-T14, T20-T79, T83-T85, and V00-Y99 will be excluded from sampling.
 - Exception to Trauma/Abuse criteria: When not caused by abuse, include trauma cases with included CPT codes that involve a fracture to a single limb section, with no other injuries. Capture cases with a single break, even if it crosses over multiple bones.
 - Exclude any surgical procedure related to the index trauma procedure(s) which occur during the same hospitalization. Any operation performed after the patient has been discharged from the trauma stay will be included; if they meet NSQIP-Pediatric program inclusion criteria.
 - Exclude any subsequent surgical procedure that is a direct result of abuse, regardless of timeframe.

Hospital Exclusion Criteria

In addition to the case inclusion/exclusion criteria, hospital inclusion/exclusion criteria are also imposed. To maintain the highest level of data quality, only cases included in the odds ratio analysis are included in the Pediatric PUF. These cases go through an additional level of scrutiny as they are passed from data collection to statistical analysis. Sites that exhibit issues with either data quality or 30-day follow-up are reviewed for exclusion to ensure the integrity of PUF data.

Case Selection

Step 1: Collect Procedure Targeted Cases with Procedure Specific Variables

- Once cases meeting criteria for inclusion have been identified, the Procedure Targeted cases with procedure specific variables are selected first, as they occur in consecutive order, utilizing the procedure targeted CPT list.
 - o Each of these cases has a limit of 4 per 8-day cycle. These cases include:
 - Appendectomy
 - Spinal Fusion
 - CSF Shunt
 - Vesicoureteral Reflux
 - Tracheostomy

Step 2: Collect Procedure Targeted Cases without Procedure Specific Variables

- Next, all possible Procedure Targeted cases without procedure specific variables are selected, in consecutive order, utilizing the procedure targeted CPT list. The Procedure Targeted CPT Code Inclusion List is located in the appendices section of the Operations Manual.
- There is a 4 case per cycle limit for Gastrostomy and Laparoscopic Cholecystectomy procedures.

Step 3: Collect Surgical Specialty Cases

- If, after selecting all procedure targeted cases as outlined above, the cycle does not meet 35 cases, the hospital will now select all remaining surgical specialty cases, as they occurred in consecutive order, utilizing the Full CPT list.
- At this point in case selection, case limits on procedure targeted cases are still maintained (only four cases for appendectomy, spinal fusion, CSF shunt, vesicoureteral reflux, tracheostomy, gastrostomy and laparoscopic cholecystectomy).
- Collect all cases until reaching a total of 35 cases.

Step 4: Rounding Out Your Cases to Achieve 35 Cases per Cycle

• If less than 35 cases are abstracted for a cycle after a hospital selects all cases as described in steps 1-3 above, a hospital may opt to collect additional cases to round up to 35 cases utilizing the following process, or they may choose to identify the cycle as "Max cases" under the "Manage Cycles" section of the "My Account" tab in the Workstation.

- If the cycle does not total 35 cases after following the three previous steps, the hospital may opt to "Max Cases" or may continue to capture additional cases of the "limited procedures" Appendectomy, Spinal Fusion, CSF Shunt, VUR, Laparoscopic Cholecystectomy, Gastrostomy, and Tracheostomy, while still following the current sampling methodology (primary procedure, only one case per patient per 30 days, etc).
- If the cycle still does not total 35 cases, the hospital will identify the cycle as "Max Cases" in the workstation.

7. Data Limitations

While every effort has been made to make the Pediatric PUF as complete as possible, the data do have certain limitations. Some of these limitations have been deliberately introduced to safeguard the privacy of patients (such as removal of absolute dates). Other limitations are due to resource constraints (such as the collection of generic surgical variables only). The following items represent the most salient limitations of the data:

- Because such a wide variety of operations are tracked, the variables are necessarily generic
 in nature. This limitation may pose difficulties for researchers attempting in-depth research
 on specific conditions or operations. However, surgical Targeted PUF datasets are now
 available which address target-specific predictors and outcomes for many types of
 operations.
- Patients are followed after surgery for a maximum of 30 days. Complications or death after that period are not included.
- In order to comply with HIPAA requirements, all absolute dates have been removed. The
 most critical of these is the date of surgery, which has been reduced to year of surgery only.
 Some dates (hospital entry, dates of laboratory tests, and so on) have been recoded into
 durations e.g. Date of Admission and Date of Discharge is recoded into Hospital Length
 of Stay.
- In order to comply with the Hospital Participation Agreement (HPA) that is agreed to between the ACS and participating sites, facility identifiers as well as geographic information regarding the case have been removed. The HPA stipulates that the ACS does not identify participating sites. Site identification could be possible even with blinded identifiers through advanced statistics. A stipulation of access to the Pediatric PUF is completion of the Data Use Agreement that strictly prohibits attempts to identify hospitals, health care providers, or patients.

- While many risk factors are tracked, preventative measures are not recorded which can lead to an overestimation of the risk of certain conditions when such measures are routinely taken before surgery.
- The data are submitted from hospitals that are participating in the ACS NSQIP Pediatric and do not represent a statistically valid nationally representative sample.
- Most patients do not receive all possible preoperative laboratory tests, so some of these variables have a high percentage of missing values (53% to 87%, depending on the tests). This high percentage of missing data can make it problematic to use these variables in a traditional logistic regression model as well as in many other types of analysis.

This list may not include all data limitations and additional limitations may apply in future versions of the data.

8. Contact Information

All questions about the Pediatric Procedure Targeted User Guide or PUF, as well as comments and suggestions for improvements are welcome and may be directed to Brian Matel, ACS NSQIP Statistical Reports Manager via email at bmatel@facs.org.

9. Frequently Asked Questions

Request Process

- Q: Who has access to this file?
- A: Any individual with an official appointment at a fully participating pediatric site will be given access to the file following completion of the Data Use Agreement and a short set of questions that are available on the website.
- Q: Is the file available to individuals from nonparticipating sites?
- A: At this time the data files are only available to individuals with official appointments at fully participating pediatric sites.
- Q: I am at a pediatric NSQIP-participating site and would like to work on a research project with others from a different site that is not participating. Will I be allowed to do that?
- A: Yes, however, the NSQIP affiliated researcher must be the lead investigator on all PUF-based research projects and is responsible for the PUF dataset, even if forwarded to someone else. The non-participating collaborator must also sign the DUA.

- Q: How do I obtain a copy of this file?
- A: Please see the "Data Request Process" on page 1 of this document for a step-by-step approach on how to do so.

Contents of the Files

- Q: Are other Pediatric PUF data sets available?
- A: There are 26 other Pediatric PUFs available for request / download:

PUF Year	PUF Type	Cases	Sites
2012	Pediatrics	51,008	50
2013	Pediatrics	63,387	56
2014	Pediatrics	68,838	64
2015	Pediatrics	84,056	80
2015	Appendectomy	10,570	20
2016	Pediatrics	101,887	101
2016	Appendectomy	13,114	101
2016	Spinal Fusion	3,728	93
2016	CSF Shunt	1,452	96
2017	Pediatrics	113,922	109
2017	Appendectomy	14,463	106
2017	Spinal Fusion	4,260	98
2017	CSF Shunt	1,128	102

PUF Year	PUF Type	Cases	Sites
2018	Pediatrics	119,486	127
2018	Appendectomy	16,986	122
2018	Spinal Fusion	5,333	112
2018	CSF Shunt	1,493	115
2019	Pediatrics	132,881	141
2019	Appendectomy	20,658	134
2019	Spinal Fusion	6,153	124
2019	CSF Shunt	2,298	131
2020	Pediatrics	128,395	148
2020	Appendectomy	21,445	140
2020	Spinal Fusion	6,019	131
2020	CSF Shunt	2,096	131
2020	Vesicoureteral Reflux (VUR)	1,742	124

- Q: What is in this file?
- A: The file contains Health Insurance Portability and Accountability Act (HIPAA) deidentified data from sites participating in the ACS NSQIP Pediatric that received odds ratios in 2021. The variable name, variable label, data definition, and other pertinent information are provided in Section 10: Data Variables and Definitions.
- Q: Where can I find the Procedure Targeted variables and definitions?
- A: You can contact your site's SCR for the Procedure Targeted Variables and Definitions.
- Q: Are site identifiers included in the database?
- A: At this time we do not provide any geographic or site-specific identification. We took this approach to ensure the privacy of both the participating sites and surgeons.
- Q: Are there surgeon-specific identifiers included in the database?
- A: At this time we do not provide any surgeon-specific information. We took this approach to ensure the privacy of both the participating sites and surgeons.
- Q: Why does the Pediatric PUF exclude specific dates?
- A: In order to release the Pediatric PUF, certain adjustments to the data are required to ensure proper protection of patient information. To meet these requirements, we remove all

elements of dates (except admission year) for dates directly related to an individual. For more information on the 18 data elements that are required for removal, please visit: https://privacyruleandresearch.nih.gov/ or https://privacyruleandresearch.nih.gov/pdf/HIPAA_Booklet_4-14-2003.pdf

- Q: The ACS NSQIP Pediatric program collects approximately 150 variables, but the database contains approximately 350 variables. What are the additional variables?
- A: The additional variables contained in the Pediatric PUF relate to computed durations. For example, the admission and discharge dates are used to calculate hospital length of stay. In addition, each complication in the ACS NSQIP Pediatric requires the use of three different variables in the database. There are a few other data elements collected in the ACS NSQIP Pediatric that require multiple variables in the database.

Values in the Data

- Q: Why do some cases have complications that do not have a known duration from operation to complication?
- A: In each of these cases, the date of the complication was invalid, which inhibited the calculation of duration. The number of days from operation to complication variable is coded as -99 for these cases.
- Q: Why do some of the preoperative lab values have duration from lab to operation, but a value of -99 for the lab value?
- A: The results of the lab tests can be entered manually and thus are susceptible to data entry error. Depending on the preoperative lab variable roughly 1% of the cases had invalid values and these invalid values were set to -99 to simplify analysis. It is also possible that some cases have valid lab values, but are missing duration from lab to operation variable. This discrepancy is also related to a data entry error and the program continues to improve the data collection software to minimize the potential for data entry errors.
- Q: When performing analysis on the five-digit CPT codes in the Other and Concurrent variables, how should I interpret those cases with a valid five-digit CPT code but a CPT description set to NULL?
- A: If the case has a valid five-digit CPT code that procedure occurred and should be evaluated as such. The CPT description is a secondary variable and provided for convenience. In the processing of large amounts of data some descriptions are purposefully or inadvertently removed.

File Formats

- Q: In what file formats are the data available?
- A: The data files are made available in a tab delimited TXT, SAS, and SPSS formats.

kdvisement: When a change in defintions across PUF years Is noted, users should attend to this if they merge files. It is suggested that they evaluate variable categories across years and combine them in a manner appropriate to their research objectives

				Search Term in Chapter 4		
		Data		Notes: Please search exactly as stated		
Position #	Variable Name	Type	Variable Label	* Variables not included in Chapter 4	Variable Options	Comments
1	PUFYEAR	Num	Year of PUF	* Year of PUF		
2	CaseID	Num	Case Identification Number	Variable Name:Identification Number MRN/IDN		Chapter 4 Variable Required to Merge Data
3	PED_APP_APPENDECTOMY	PED_APP_APPENDECTOMY Char APP: Acute Appendectomy	APP: Acute Appendectomy	Variable Name: Appendectomy for Acute Abdominal Pain/Appendicitis	Acute abdominal pain/acute or perforated appendicits	
					Interval appendectomy	
					Other	
4	PED_APP_PRSNTN_MINS	Num	APP: Time of Presentation to Operation (min)	* Minutes from time of presentation to operation start		-99 = No Response
5	PED_APP_PRE_CTOTHER	Char	APP: Preoperative CT Scan at Another Institution	Variable Name: Preoperative CT Scan at Another Institution	Yes; No	NULL = No Response
6	PED_APP_PRE_CT	Char	APP: Preoperative CT Scan at Surgical Institution	Variable Name: Preoperative CT Scan at Your Institution	Yes; No	NULL = No Response
7	PED_APP_PRE_ULTRAOTHER	Char	APP: Preoperative Ultrasound at Another Institution	Variable Name: Preoperative Ultrasound at Another Institution	Yes; No	NULL = No Response
8	PED_APP_PRE_ULTRA	Char	APP: Preoperative Ultrasound at Surgical Institution	Variable Name: Preoperative Ultrasound at Your Institution	Yes; No	NULL = No Response
9	PED_APP_PRE_MRIOTHER	Char	APP: Preoperative MRI at Another Institution	Variable Name: Preoperative MRI at Another Institution	Yes; No	NULL = No Response
10	PED_APP_PRE_MRI	Char	APP: Preoperative MRI at Surgical Institution	Variable Name: Preoperative MRI at Your Institution	Yes; No	NULL = No Response
11	PED_APP_OPFINDING	Char	APP: Operative Finding of Complicated Appendicitis	Variable Name: Definitive Operative Finding of Complicated Appendicitis	Yes; No	NULL = No Response
12		Char	ar APP: Operative Findings	Variable Name: Operative Findings	Visible hole in appendix	NULL = No Response
					Fecalith in peritoneal cavity outside appendix	Multi-select variable
					Abscess	
					Diffuse fibrinopurulent exudate in peritoneal cavity	
13	PED_APP_PATHDIAG	Char	APP: Pathologic Diagnosis of Appendix	Variable Name: Pathologic Diagnosis of Appendix	Normal appendix	NULL = No Response
					Appendicitis	
					Other appendiceal pathology	
					Not available	
14	PED_APP_PERCDRAIN	Char	APP: Percutaneous Drainage or Aspiration	Variable Name: Postoperative Percutaneous Drainage or Aspiration of Intraperitoneal Fluid Collection	Yes; No	NULL = No Response
15	PED_APP_PICC	Char	APP: Catheter Placement	Variable Name: PICC-Central Venous Catheter for Appendicitis	Yes; No	NULL = No Response
16	PED_APP_PAR_NUTRITION	Char	APP: Parenteral Nutrition Use	Variable Name: Parenteral Nutrition Use After Diagnosis of Appendicitis	Yes; No	NULL = No Response
17	PED_APP_TEMP_POSTOP	Char	APP: Postoperative Temperature	Variable Name: Temperature ≥38.5 °C by Any Route on Postoperative Day 3 or 4	Yes; No	NULL = No Response
18	PED_APP_POST_CTANY	Char	APP: Postoperative CT Scan	Variable Name: Postoperative CT Scan at Any Institution	Yes; No	NULL = No Response
19	PED_APP_POST_ULTRAANY	Char	APP: Postoperative Ultrasound	Variable Name: Postoperative Ultrasound at Any Institution	Yes; No	NULL = No Response
20	PED_APP_POST_MRIANY	Char	APP: Postoperative MRI	Variable Name: Postoperative MRI at Any Institution	Yes; No	NULL = No Response
21	PED_APP_PAR_ANTIBIO_DISCH	Char	APP: Parenteral Antibiotics at Discharge	Variable Name: Parenteral Antibiotics at Time of Hospital Discharge	Yes; No	NULL = No Response
22	PED_APP_ORAL_ANTIBIO_DISCH	Char	APP: Oral Antibiotics at Discharge	Variable Name: Oral Antibiotics at Time of Hospital Discharge	Yes; No	NULL = No Response
23	PED_APP_POST_ED	Char	APP: Postoperative Emergency Department Visits	Variable Name: Postoperative Emergency Department (ED) Visits	Yes; No	NULL = No Response
				1	I .	

Advisement: When a change in definitions across PUF years Is noted, users should attend to this if they merge files. It is suggested that they evaluate variable categories across years and combine them in a manner appropriate to their research objectives

				Search Term in Chapter 4		
		Data		Notes: Please search exactly as stated		
Position #	Variable Name	Type	Variable Label	* Variables not included in Chapter 4	Variable Options	Comments
1	PUFYEAR	Num	Year of PUF	* Year of PUF		
2	CaseID	Num	Case Identification Number	Variable Name:Identification Number MRN/IDN		Chapter 4 Variable Required to merge data
3	PED_SPN_CLASS	Char	SPN: Classification of Spinal Deformity	Variable Name:Classification of Spinal Deformity	Idiopathic	
					Congenital/Structural	
					Neuromuscular	
					Syndromic	
					Kyphosis	
					Insufficient clinical information to classify	
4	PED_SPN_PRIOROP	Char	SPN: Prior Operation for Spinal Deformity	Variable Name: History of Prior Operation for Spinal Deformity	Yes; No	
5	PED_SPN_PREOPMRI	Char	SPN: Preoperative MRI	Variable Name:Preoperative MRI	Yes; No	
6	PED_SPN_NEUROMON	Char	SPN: Intraoperative Neuromonitoring	Variable Name:Intraoperative Use of Neuromonitoring	Yes; No	
7	PED_SPN_ANTIBIO_WND	Char	SPN: Intraoperative Antibiotics	Variable Name:Intraoperative Antibiotics in the Wound or Bone Graft	Yes; No	
8	PED_SPN_ANTIFIB	Char	SPN: Intraoperative Antifibrinolytics	Variable Name:Intraoperative Use of Antifibrinolytics	Yes; No	
9	PED_SPN_TRNSVOL_CELL	Num	SPN: Intraoperative Cell-Saver Transfusion (mL)	Variable Name:Intraoperative Transfusion Volume		-99 = No Response
10	PED_SPN_TRNSVOL_ALLOGEN	Num	SPN: Intraoperative Allogeneic Transfusion (mL)	Variable Name:Intraoperative Transfusion Volume		-99 = No Response
11	PED_SPN_POST_TRNSVOL_CELL	Num	SPN: Postoperative Cell-Saver Transfusion (mL)	Variable Name:Transfusion Volume Postoperatively		-99 = No Response
12	PED_SPN_POST_TRNSVOL_ALLOGEN	Num	SPN: Postoperative Allogeneic Transfusion (mL)	Variable Name:Transfusion Volume Postoperatively		-99 = No Response
13	PED_SPN_ICUDAYS	Char	SPN: ICU Length of Stay (days)	Variable Name:Intensive Care Unit (ICU) Length of Stay	0 days - 30 days	
14	PED_SPN_POST_NEURODEF	Char	SPN: Postoperative Neurological Deficit	Variable Name:Postoperative Neurological Deficit	Yes; No	
15	PED_SPN_POST_NEURODEFTYPE	Char	SPN: Postoperative Neurological Deficit Type	Variable Name:Postoperative Neurological Deficit	Peripheral nerve, plexus or nerve root injury	NULL = No Response
					Spinal cord injury	Multi-select variable
		I			Cauda equina injury	

Advisement: When a change in definitions across PUF years is noted, users should attend to this if they merge files. It is suggested that they evaluate variable categories across years and combine them in a manner appropriate to their research objectives

visement. When a change in definitions acr		T		Search Term in Chapter 4	years and combine them in a manner appropriate to their research object	TVC5	
		Data		Notes: Please search exactly as stated			
sition#	Variable Name		Variable Label	* Variables not included in Chapter 4	Variable Options	Comments	
1	PUFYEAR		Year of PUF	* Year of PUF			
2	CaseID	Num	Case Identification Number	Variable Name:Identification Number MRN/IDN		Chapter 4 Variable	
						Required to merge data	
3	PED_SHNT_1STPERM	Char	SHNT: First Time Permanent Shunt	Variable Name:First Time Permanent Shunt	Yes; No		
4	PED_SHNT_HC_ETIOL	Char	SHNT: Hydrocephalus Etiology	Variable Name:Hydrocephalus Etiology	Congenital hydrocephalus	NULL = No Response	
					Vascular anomaly		
					Intraventricular hemorrhage (IVH) or prematurity or without cause		
					Spina bifida with Chiari malformation/myelomenigocele		
					Post hemorrhagic from other vascular lesion		
					Neoplastic		
					Post infectious		
					Post traumatic		
					Intracranial cyst		
					Syndromic, not otherwise specified		
					Other - insufficient information to classify type		
5	PED_SHNT_PRIOR_HCPROC	Char	SHNT: Prior Hydrocephalus Procedure	Variable Name:Prior Hydrocephalus Procedure	Yes; No	NULL = No Response	
6	PED_SHNT_HCPROC_TYPE	Char	SHNT: Prior Hydrocephalus Procedure Type	Variable Name:Prior Hydrocephalus Procedure	Resevoir	NULL = No Response	
					Subgaleal shunt	Multi-select variable	
					External ventricular drain (EVD)		
					Endoscopic third ventriculostomy (ETV)	7	
					ETV with choroid plexus coagulation (CPX)		
					Other CNS procedure		
7	PED_SHNT_SURGADJS	Char	SHNT: Surgical Adjunct	Variable Name:Surgical Adjuncts	Yes; No	NULL = No Response	
8	PED_SHNT_ADJTYPE	Char	SHNT: Surgical Adjunct Type	Variable Name:Surgical Adjuncts	Endoscope for catheter placement	NULL = No Response	
					Endocopse for choroid plexus coagulation, septostomy or fenestration	Multi-select variable	
						Antibiotic-impregnated shunt catheter	
					Programmable shunt valve		
					Use of image-guidance/stereotactic system	\neg	
					Use of intraventricular antibiotics		
					Other		
9	PED SHNT POST IMG	Char	SHNT: Postoperative Imaging	Variable Name:Postoperative Imaging Performed Before Discharge	Yes; No	NULL = No Response	
10	PED_SHNT_POST_IMGTYPE	Char	SHNT: Postoperative Imaging Type	Variable Name:Postoperative Imaging Performed Before Discharge	CT scan	NULL = No Response	
	. 25_6	Onai	or invit. I ostoporative imaging Type	variable Name: ostoperative imaging renormed before bisonarge	Limited MRI study	Multi-select variable	
				Complete MRI (with and/or without contrast)	- India coloci vanabio		
					Cranial ultrasound		
					Shunt survey/series x-rays		
					Shunt valve x-ray		
					Shunt injection study		
					Other		
	DED OUNT INTERE	01	DINIT STATE OF THE	F			
11	PED_SHNT_INTRE1	Char	SHNT: First Unplanned Intervention or Reoperation	First Unplanned Shunt Intervention or Reoperation	Externalization or complete removal of shunt	NULL = No Response	
		1			Placement of external ventricular drain/Ventriculostomy (EVD)		
						Any shunt revision - proximal or distal	
					Removal with replacement of entire shunt		
					Placement of additional complete shunt		
					Placement of additional complete shunt Endoscopic fenestration procedure		
					Placement of additional complete shunt Endoscopic fenestration procedure None		
12	PED_SHNT_INTRE1_DAYS	Num	SHNT: Days from Operation to First Unplanned Intervention or Reoperation	* Days from Operation to First Unplanned Shunt Intervention or Reoperation	Placement of additional complete shunt Endoscopic fenestration procedure None	-99 = No Response	
	PED_SHNT_INTRE1_DAYS PED_SHNT_INTRE1_RSN	Num		* Days from Operation to First Unplanned Shunt Intervention or Reoperati	Placement of additional complete shunt Endoscopic fenestration procedure None	-99 = No Response NULL = No Response	
			Intervention or Reoperation		Placement of additional complete shunt Endoscopic fenestration procedure None ion	•	
			Intervention or Reoperation SHNT: Reason for First Unplanned Intervention or	Variable Name:Reason for First Unplanned Shunt Intervention or	Placement of additional complete shunt Endoscopic fenestration procedure None ion Shunt infection	•	
			Intervention or Reoperation SHNT: Reason for First Unplanned Intervention or	Variable Name:Reason for First Unplanned Shunt Intervention or	Placement of additional complete shunt Endoscopic fenestration procedure None Shunt infection Wound Disruption or CSF leak Proximal catheter obstruction or malposition	·	
			Intervention or Reoperation SHNT: Reason for First Unplanned Intervention or	Variable Name:Reason for First Unplanned Shunt Intervention or	Placement of additional complete shunt Endoscopic fenestration procedure None Shunt infection Wound Disruption or CSF leak Proximal catheter obstruction or malposition Distal catheter obstruction or malposition	•	
			Intervention or Reoperation SHNT: Reason for First Unplanned Intervention or	Variable Name:Reason for First Unplanned Shunt Intervention or	Placement of additional complete shunt Endoscopic fenestration procedure None ion Shunt infection Wound Disruption or CSF leak Proximal catheter obstruction or malposition Distal catheter obstruction or malposition Mechanical issues	·	
12			Intervention or Reoperation SHNT: Reason for First Unplanned Intervention or	Variable Name:Reason for First Unplanned Shunt Intervention or	Placement of additional complete shunt Endoscopic fenestration procedure None Shunt infection Wound Disruption or CSF leak Proximal catheter obstruction or malposition Distal catheter obstruction or malposition	•	

Advisement: When a change in definitions across PUF years Is noted, users should attend to this if they merge files. It is suggested that they evaluate variable categories across years and combine them in a manner appropriate to their research objectives

	Ĭ	1	T i	Search Term in Chapter 4						
		Data		Notes: Please search exactly as stated						
Position #	Variable Name	Type	Variable Label	* Variables not included in Chapter 4	Variable Options	Comments				
1	PUFYEAR	Num	Year of PUF	* Year of PUF	Turiable Options	- Commonto				
2	CaseID	Num	Case Identification Number	Variable Name:Identification Number MRN/IDN		Chapter 4 Variable				
2	Caseib	INUITI	Case identification Number	Variable Name.identification Number WKN/IDN		Required to merge data				
3	PED VUR DIAG	Char	VUR: Diagnosis of Vesicoureteral Reflux	Variable Name:Diagnosis of Vesicoureteral Reflux	Yes; No	Required to merge data				
	= =			-						
4	PED_VUR_REFLUXSEVERITY	Char	VUR: Vesicoureteral Reflux Disease Severity	Varialbe Name: Vesicoureteral Reflux Disease Severity	VCUG Grade 1 or RNC Grade 1	NULL = No Response				
					VCUG Grade 2 or 3 or RNC Grade 2					
					VCUG or 4 or 5 or RNC Grade 3					
					Insufficient clinical information to classify					
5	PED_VUR_PRIORPROC	Char	VUR: Prior Vesicoureteral Reflux Procedure	Variable Name:Prior Vesicoureteral Reflux Procedure	Yes – previous reimplant	NULL = No Response				
					Yes – previous endoscopic sub-ureteric injection					
					Yes – both previous endoscopic sub-ureteric injection and reimplant					
	DED VIIID ANN LIDOCOMORD	01	MID II 3 10 1133	W : 11 M = 2 10 11 W	No No	NIIII N D				
6	PED_VUR_ANY_UROCOMORB	Char	VUR: Urogenital Comorbidities	Variable Name:Urogenital Comorbidities	Yes; No	NULL = No Response				
7	PED_VUR_UROCOMORBIDITIES	Char	VUR: Urogenital Comorbidities	Variable Name:Urogenital Comorbidities	Neurogenic bladder	NULL = No Response				
					Neurogenic bowel	Multi-select variable				
		1			Spina bifida/myelomeningocele					
					Posterior urethral valves					
					Eagle-Barrett (prune belly) syndrome					
					Bladder exstrophy					
					Cloacal exstrophy					
					Imperforate anus					
					Ectopic ureter					
					Ureterocele					
					Duplex kidney					
					Tethered cord					
					None					
8	PED_VUR_PREOPURINECULT	Char	VUR: Preoperative/Intraoperative Urine Culture	Variable Name:Preoperative/Intraoperative Urine Culture	Yes, bacterial growth present, UTI	NULL = No Response				
					Yes, bacterial growth present, not UTI					
					Yes, no bacterial growth					
					Yes, culture results not available					
					No or unknown					
9	PED_VUR_PROCTYPE	Char	VUR: Unilateral vs. Bilateral Procedure	Variable Name:Unilateral vs. Bilateral Procedure	Unilateral	NULL = No Response				
					Bilateral					
					Unknown					
10	PED_VUR_URETERALSTENT	Char	VUR: Ureteral Stent/Catheter	Variable Name:Ureteral Stent/Catheter	Yes, removed in OR	NULL = No Response				
					Yes, removed outside OR					
					Yes, still in place at 30 days postoperatively					
					No stent placed					
11	PED_VUR_ANTIBIOTICSATDCHRG	Char	VUR: Oral Antibiotics at Hospital Discharge	Variable Name:Oral Antibiotics at Hospital Discharge	Yes	NULL = No Response				
					No or unknown					
12	PED_VUR_EMERVISITS	Char	VUR: Postoperative Emergency Department (ED) Visits (0-30 days postoperatively)	Variable Name:Postoperative Emergency Department (ED) Visits (0-30 days postoperatively)	Yes; No	NULL = No Response				
13	PED_VUR_ANY_UNPLPROC	Char	VUR: Unplanned Procedure Related to Anti-reflux	Variable Name:Unplanned Procedure Related to Anti-reflux Procedure (0-30 days	Yes; No	NULL = No Response				
13	FED_VOK_ANT_UNFLFROC	Cital	Procedure (0-30 days postoperatively)	postoperatively)	res, No	NOLL = No Response				
14	PED VUR UNPLANNEDPROC	Char	VUR: Unplanned Procedure Related to Anti-reflux	Variable Name:Unplanned Procedure Related to Anti-reflux Procedure (0-30 days	Percutaneous nephrostomy tube	NULL = No Response				
• • •		0	Procedure (0-30 days postoperatively)	postoperatively)	Ureteral stent placement	Multi-select variable				
							r recodure (e de daye poctoporativosy)	postopordaroly)	Intra-peritoneal drain	iviuiti-select variable
		1			Retroperitoneal drain					
		1			Incision and drainage of abscess					
		1			Cystoscopy					
		1			Insertion of bladder catheter					
		1			Other urologic procedure					
		1			No unplanned procedure performed or reported	 				
15	PED VUR CATHPLACEMENT	Char	VUR: Unplanned Urinary Catheter (Intermittent or	Variable Name: Unplanned Urinary Catheter (Intermittent or Indwelling, 0-30 days	Yes	NULL = No Response				
13	LD_VOK_CATTIF LAGEINLINT	Cital	Indwelling, 0-30 days postoperatively)	postoperatively)	No or unknown	TYOLL - NO IXESPONSE				
	1		mawoning, o-ou days postoperatively)	Protoperatively/	140 of dilitational	1				

