



**METABOLIC AND BARIATRIC SURGERY  
ACCREDITATION AND QUALITY IMPROVEMENT PROGRAM**

# **User Guide for the 2017 Participant Use Data File (PUF)**

**Released: October 2018**

## **PROPRIETARY AND CONFIDENTIAL**

This document is the sole property of the American College of Surgeons (ACS). Only the making of copies for classroom, scholarship or research is permitted. Production of any derivative or copying of this document intended to be “consumable” for distribution by public sale or other transfer of ownership by rental, lease, or lending is strictly prohibited.

## Contents

Section	Page
1. Introduction	3
2. Data Request Process	3
3. File Description	4
4. Data Collection Background and Data Quality	6
5. Participation and Case Exclusion Criteria	7
Case Collection Process	7
Case Exclusion Criteria	7
Hospital Exclusion Criteria	7
6. Data Limitations	8
7. Contact Information	8
8. Frequently Asked Questions	9
Request Process	9
Contents of the Files	9
Values in the Data	10
File Formats	11
General	11
9. PUF User Guide Table	12
Main	13
Reoperation	18
Readmission	18
Intervention	18
BMI	19

### **Data Update**

We have identified a problem with reported values for the variable HTN\_MEDS (Number of Preoperative Hypertensive Medications) in the 2015 PUF. For this variable, the majority of values equal to zero were inadvertently set to erroneous values of three. It is for this reason that HTN\_MEDS should not be considered accurate for the 2015 PUF. Note that this issue has been resolved for the 2016 PUF and subsequent PUFs moving forward.

## 1. Introduction

The Metabolic and Bariatric Surgery Accreditation and Quality Improvement Program (MBSAQIP®) is pleased to introduce the 2017 Participant Use Data File (PUF) – including cases with operation dates between January 1, 2017 and December 31, 2017. The PUF is a Health Insurance Portability and Accountability Act (HIPAA)-compliant data file containing cases submitted to the MBSAQIP Data Registry. The PUF contains patient-level data and does not identify hospitals, health care providers, or patients. The intended purpose of these files is to provide researchers at participating centers with a data resource they can use to investigate and advance the quality of care delivered to the metabolic and bariatric surgical patient through the analysis of cases captured by MBSAQIP. The PUF is provided at no additional cost to employees (surgeons, researchers, bariatric program staff, etc.) of MBSAQIP participant centers. With over 200,000 metabolic and bariatric cases captured each year, the MBSAQIP PUF is the largest, bariatric-specific, clinical dataset in the country and serves as an invaluable resource to investigators looking to answer important clinical questions in this field. It is part of the mission of the MBSAQIP to make this data available to all participants to improve the power and reliability of clinical research and further propel innovation in the field of metabolic and bariatric surgery.

This guide is designed to accompany the 2017 Participant Use Data File available for download via the MBSAQIP website (<https://www.facs.org/quality-programs/mbsaqip/participant-use>). The sections contained herein will provide the user with information on how to request the PUF, contents of the data files, data collection background, data limitations, and answers to frequently asked questions.

This user guide applies specifically to the 2017 PUF and will be updated with each subsequent PUF.

## 2. Data Request Process

An individual who has an official role at an actively enrolled MBSAQIP center and wants to obtain a copy of the MBSAQIP PUF can do so by visiting <https://www.facs.org/quality-programs/mbsaqip/participant-use> and following the steps listed below:

1. From the MBSAQIP main page ([www.facs.org/quality-programs/mbsaqip](http://www.facs.org/quality-programs/mbsaqip)) the requestor can click on the “Participant Use Data File (PUF)” link. This will take you to the PUF information and request page.
2. Following a brief introduction and explanation of the PUF, the requestor can click on “Request PUF.”
3. This will take the requestor to the Data Use Agreement. This is a three page document that implements the data protections of the Health Insurance Portability and Accountability Act of 1996 (HIPAA) and the MBSAQIP Participation Agreement. Delivery of the PUF is contingent on agreement to the terms and conditions specified

within the Data Use Agreement. The Data Use Agreement can be read from this page or the three-page document can be downloaded. The requestor is then required to type in their first and last name and click on “Request Data File.” By clicking on “Request Data File” the requestor agrees to the terms and conditions of the Data Use Agreement.

4. Requestors will then be required to complete a brief online form to provide ACS with basic information about themselves, including the participating center in which they are currently employed and in what capacity, as well as how the requestor plans to utilize the PUF data. Once all of the required fields are completed, the requestor clicks “Submit.”
5. Upon approval an email will be sent to the requestor containing a username and password along with the URL to download the data. The web link will be active from the time of the email for 10 full days (240 hours).
6. The file will be available in three different formats (Text, SPSS, SAS) and depending on the user’s internet connection speed should take between 5 and 30 minutes to download.
7. The requestor may be contacted to confirm receipt of the data file and allow for feedback on the delivery mechanism, data points contained, and data file format.

### 3. File Description

The PUF consists of five distinct datasets which are referred to as main, reoperation, readmission, intervention, and BMI, respectively. Each dataset is available in one of three different formats - Text, SAS, and SPSS. The main dataset is a flat file containing preoperative, intraoperative, and postoperative patient and procedure characteristics for all metabolic and bariatric surgical cases that were eligible for the PUF in 2017. The reoperation, readmission, intervention, and BMI datasets are available in long form (i.e., multiple rows per case), and contain detailed information on readmissions, reoperations, interventions, and post-operative BMI measurements, respectively, associated with cases in the main dataset. All five datasets contain a unique key matching variable, CASEID, which allows users to merge datasets as necessary.

Postoperative BMI measurements recorded in the BMI dataset were taken in the 30-day follow-up time period, which runs from 0 to 30 days from the date of the index procedure. All postoperative events or outcomes (e.g., death, sepsis, reoperation, readmission, intervention, postop BMI, etc.) recorded in the main, reoperation, readmission, and intervention datasets are 30-day outcomes (i.e., occurred within 30 days of the index procedure).

The main dataset contains three variables (REOP30, READ30, and INTV30) derived from the reoperation, readmission, and intervention datasets, respectively. These variables represent whether at least one reoperation, readmission, or intervention occurred, respectively, *for any reason*, within 30 days of the index procedure. Investigators interested in other facets of reoperation, readmission, or intervention will need to manipulate the long datasets and merge them with the main dataset in a manner which is appropriate to the specified research question. For example, suppose a researcher is interested in estimating the overall 30-day *related* reoperation rate for metabolic and bariatric surgical procedures. The specific research question

is: “What is the 30-day related reoperation rate for all cases included in the main dataset?” To answer this question, the researcher could use the variable REOP\_RELATED\_BAR in the reoperation dataset to identify and create a flat file of cases where at least one 30-day reoperation was recorded as most likely related to the index procedure. This flat file would then be merged (using the unique key matching variable CASEID) with the main dataset to construct a variable, say RELATED\_REOP30, taking values of either “Yes” or “No” to indicate whether at least one related 30-day reoperation occurred for each case in the main dataset. The 30-day related reoperation rate for all metabolic and bariatric surgical procedures could then be estimated by calculating the proportion of cases in the main dataset where RELATED\_REOP30 = “Yes.”

Using the CASEID variable, other readmission, reoperation, intervention, or BMI-specific variables, or combinations thereof, can be merged to the main PUF dataset. A variable-by-variable description for each dataset is provided in the PUF User Guide Table in Section 9 of this document. A brief description of each dataset follows:

<b>Dataset</b>	<b>File Types Available</b>	<b>Uncompressed File Size</b>	<b>Description</b>
MBSAQIP_PUF_Main	SAS, SPSS, TXT	SAS: 303 MB SPSS: 326 MB TXT: 126 MB	Contains 173 HIPAA compliant variables on 200,374 cases submitted from 832 centers in 2017. Each row represents one case and there is exactly one row per case.
MBSAQIP_PUF_Read	SAS, SPSS, TXT	SAS: 1.54 MB SPSS: 1.50 MB TXT: 651 KB	Contains 9 HIPAA compliant variables on 8,701 readmissions. Each row represents a 30-day readmission associated with some case from the Main file. Multiple rows per case are possible in this file.
MBSAQIP_PUF_Reop	SAS, SPSS, TXT	SAS: 896 KB SPSS: 993 KB TXT: 356 KB	Contains 15 HIPAA compliant variables on 3,622 reoperations. Each row represents a 30-day reoperation associated with some case from the Main file. Multiple rows per case are possible in this file.
MBSAQIP_PUF_Intv	SAS, SPSS, TXT	SAS: 1.09 MB SPSS: 1.01 MB TXT: 324 KB	Contains 9 HIPAA compliant variables on 3,403 interventions. Each row represents a 30-day intervention associated with some case from the Main file. Multiple rows per case are possible in this file.
MBSAQIP_PUF_BMI	SAS, SPSS, TXT	SAS: 23.9 MB SPSS: 25.3 MB TXT: 12.7 MB	Contains 13 HIPAA compliant variables on 216,766 BMI measurements. Each row represents a BMI measurement from the 30-day follow-up time period associated with some case from the Main file. Multiple rows per case are possible in this file.

## **4. Data Collection Background and Data Quality**

MBSAQIP collects data on over 200 variables including preoperative risk factors, intraoperative variables, and 30-day postoperative mortality and morbidity outcomes for patients undergoing metabolic and bariatric surgical procedures in both the inpatient and outpatient setting.

Required data elements are entered via a web-based data collection tool. Portions of the data may be automatically populated by a software program that was developed to extract data from the participating hospital's existing information systems. Requestors should contact the Metabolic and Bariatric Surgical Clinical Reviewers (MBSCRs), at their hospital for detailed information on how the hospital collects its MBSAQIP data.

To ensure the data collected are of the highest quality, the MBSAQIP has developed a host of different training mechanisms for the MBSCRs and conducts a data integrity audit of selected participating centers. The MBSAQIP requires MBSCRs to complete a series of web-based training modules followed by an annual certification exam. The modules and certification exam focus on the program, processes, and analysis; preoperative, intraoperative, and postoperative definitions and case studies. These modules are complemented by the availability of MBSAQIP Clinical Support Registered Nurse (RN) Specialists who are available to MBSCRs on an ongoing basis for one-on-one data abstraction support, additional in-person and web-based training. The Clinical Support staff makes available a host of written educational resources available through the MBSAQIP Resource Portal through a support system designed to ensure MBSCRs have the knowledge and resources available to collect high-quality data.

The data integrity audit is a fundamental tool of the MBSAQIP to assess the quality of the data collected at participating centers. The process involves the review of multiple charts, some of which are selected randomly and others selected based on criteria designed to identify potential reporting errors.

MBSAQIP has determined that a data integrity audit disagreement rate of 5% or less is acceptable. Centers that have higher than a 5% disagreement rate are not included in the MBSAQIP Semiannual Report and may be required to undergo an additional audit following training and education recommendations from the MBSAQIP.

## 5. Participation and Case Exclusion Criteria

### Case Collection Process

All metabolic and bariatric surgical procedures and interventions, including those performed by non-metabolic and bariatric surgery credentialed general surgeons or other physician practitioners (i.e. gastroenterologists), must be entered into the MBSAQIP Data Registry. Documentation of each hospitalization and surgical procedure is required to obtain valid outcomes data. Data collection is ultimately the responsibility of the Metabolic and Bariatric Surgery (MBS) Director working collaboratively with the Metabolic and Bariatric Surgical Clinical Reviewers (MBSCR), the physician offices, and institutional departments to ensure accurate short and long-term results. Data is collected at 30 days, six months, one year, and annually thereafter.

### Case Exclusion Criteria

The following exclusion criteria were applied to cases collected in 2017. For the current inclusion/exclusion criteria please contact the MBSAQIP Clinical Support Team at [clinicalsupport@mbsaqip.org](mailto:clinicalsupport@mbsaqip.org).

Procedures which would not meet metabolic or bariatric inclusion criteria:

- Cancer cases: Any patient who is admitted to the hospital and has an included procedure to address cancer.
- Trauma cases: Any patient who is admitted to the hospital and has an included procedure to address a traumatic injury.
- Patient is under 10 years of age.
- Multiple MBSAQIP assessed cases within 30 days: Any patient who had an MBSAQIP assessed procedure entered within the previous 30 days at the center, the additional metabolic or bariatric procedure performed within 30 days is only entered as a reoperation or intervention. Only one MBSAQIP procedure can be entered into the data registry per patient, per 30 days, for a center.

### Hospital Exclusion Criteria

In addition to the case inclusion/exclusion criteria, center inclusion/exclusion criteria are also imposed. To maintain the highest level of data quality, only cases that are eligible for the MBSAQIP Semiannual Report (SAR) are included in the PUF. These cases go through an additional level of scrutiny as they are passed from data collection to statistical analysis. A center's cases are not SAR-eligible and therefore may be excluded from the PUF if the center meets any of the following criteria:

- 30-day follow-up rate is under 80% for the SAR timeframe
- Data Integrity Audit disagreement rate is over 5%
- The MBSCR(s) at the center does not successfully complete the annual MBSCR Certification Exam
- The center is found not to be in compliance with MBSAQIP Standard 6, "Data Collection"

## 6. Data Limitations

While every effort has been made to make the PUF as complete as possible, the data do have certain limitations. Some of these limitations have been deliberately introduced to safeguard the privacy of patients (such as removal of absolute dates). The following items represent the most salient limitations of the data:

- While the sex and race distributions are reasonably representative of the national surgery patient population, only patients over the age of 10 are available for assessment, so the age distribution is somewhat truncated. Patients over the age of 80 also have their ages de-identified in the PUF (age is set to missing with an indicator variable included to identify patients over the age of 80).
- In order to comply with HIPAA requirements, all absolute dates have been removed. The most critical of these is the date of surgery, which has been reduced to year of surgery only. Some dates (hospital entry, dates of laboratory tests, and so on) have been recoded into durations (e.g., Date of Admission and Date of Discharge are recoded into Days to Discharge from Hospital Admit).
- In order to comply with the Participation Agreement (PA) that is agreed to between the ACS and participating centers, facility identifiers as well as geographic information regarding the case have been removed. The PA stipulates that the ACS does not identify participating centers. Facility identification could be possible even with blinded identifiers through advanced statistics. A stipulation of access to the PUF is completion of the Data Use Agreement that strictly prohibits attempts to identify hospitals, health care providers, or patients.
- While many risk factors are tracked, preventative measures are not recorded which can lead to an underestimation of the risk of certain conditions when such measures are routinely taken before surgery.
- The data are submitted from centers that are participating in the MBSAQIP and do not represent a statistically valid nationally representative sample.
- Many patients do not receive all possible preoperative laboratory tests, so some of these variables have a high percentage of missing values (10% to 70%, depending on the tests). This high percentage of missing data can make it problematic to use these variables in a traditional logistic regression model as well as in many other types of analysis.

This list may not include all data limitations and additional limitations may apply in future versions of the data.

## 7. Contact Information

All questions about the User Guide or PUF, as well as comments and suggestions for improvements are welcome and may be directed to Rasa Krapikas, MS, MBSAQIP Data Registry Manager, at [rkrapikas@facs.org](mailto:rkrapikas@facs.org).



## 8. Frequently Asked Questions

### Request Process

**Q: Who has access to this file?**

A: Any individual from an actively participating MBSAQIP center will be given access to the file following completion of the PUF Data Use Agreement and a short set of questions that are available on the website.

**Q: Is the file available to individuals from nonparticipating centers?**

A: At this time the data files are only available to individuals at MBSAQIP participating centers.

**Q: Is the PUF only available to the MBSAQIP-accredited centers?**

A: The only requirement is that centers must be actively participating in the MBSAQIP either as a data collection or accredited center. PUF access is not contingent on accreditation status.

**Q: I am at a participating MBSAQIP center and would like to work on a research project with others from a different center that is not participating. Will I be allowed to do that?**

A: No. At this time use of the file is restricted to individuals at participating MBSAQIP centers.

**Q: How do I obtain a copy of this file?**

A: Please see the “Data Request Process” on page 1 of this document for a step-by-step approach on how to do so.

### Contents of the Files

**Q: What is in each file?**

A: Each file contains Health Insurance Portability and Accountability Act (HIPAA) de-identified data from centers participating in the MBSAQIP that were eligible for the corresponding SAR period. See the PUF User Guide Table in Section 9 of this document for a list.

**Q: What procedures (CPTs) are included in the PUF?**

A: See *Appendix B: Case Inclusion and Follow-up within the MBSAQIP Data Registry Operations Manual* for a listing of procedure types. Any primary or revisional case that meets inclusion criteria for creation as a “New Case” is included in the PUF.

**Q: Are revisional procedures included in the PUF?**

A: Yes. All cases that meet inclusion criteria for creation as a “New Case” (see *Appendix B: Case Inclusion and Follow-up within the MBSAQIP Data Registry Operations Manual*) are included in the PUF.

**Q: Does the PUF contain long-term (1 year, 2 year, 3 year, etc.) outcomes?**

A: At this time the 2017 PUF only contains 30-day outcomes.

**Q: How is the PUF different from the SAR?**

A: The Main PUF is a raw, flat file of HIPAA-compliant variables captured within the data registry. The data has been cleaned (e.g., removal of invalid dates, truncation of variable bounds, etc.), but no analysis (e.g., risk adjustment, quality assessments, etc.) has been performed.

**Q: Can we publish data from the PUF?**

A: Yes. Please see the terms of the PUF Data Use Agreement within the PUF request portal.

**Q: Can we publish data from the PUF individually or collaboratively?**

A: Pursuant to the MBSAQIP PUF Data Use Agreement, centers will not grant access to or share the PUF either in its entirety or as a subset to any party who is not an employee of the participating center at which the Data Recipient is employed, and centers will not sublease or permit other parties to use the PUF without advance written approval of the ACS MBSAQIP.

**Q: Are other MBSAQIP PUF data sets available?**

A: Yes, the 2015 PUF was the first MBSAQIP PUF available.

**Q: Are center identifiers included in the database?**

A: At this time we do not provide any geographic or center-specific identification. We took this approach to ensure the privacy of both the participating MBSAQIP centers and surgeons.

**Q: Are there surgeon-specific identifiers included in the database?**

A: At this time we do not provide any surgeon-specific information. We took this approach to ensure the privacy of both the participating centers and surgeons.

**Q: Why does the PUF exclude specific dates?**

A: In order to release the PUF, certain adjustments to the data are required to ensure proper protection of patient information. To meet these requirements, we remove all elements of dates (except year of operation) for dates directly related to an individual.

**Q: I am the MBS Director from a center that has records in the PUF and would like to know which specific records are ours.**

A: At this time we do not provide center identification of any cases in the PUF, even self-identification.

## **Values in the Data**

**Q: Why is age missing for 91 records in the main dataset?**

A: Records will have a missing value for age if the calculated age of the patient was less than 10 years or greater than 80 years.

**Q: Approximately 1% of records in the main dataset are missing a pre-op BMI measurement. Why is that?**

A: Records will have a missing pre-op BMI measurement (either closest to surgery or highest recorded within one year prior to the surgery) if the pre-op BMI was unknown or the calculated pre-op BMI was less than 15 or greater than 150.

**Q: Some of the duration variables (e.g., Days from Operation Date to Readmission, Days from Operation Date to Reoperation, etc.) have unknown durations. Why is that?**

A: Records will have unknown durations for duration variables if an unknown or invalid date was entered which inhibited the calculation of duration. The duration (i.e., number of days) will be missing for such records.

**Q: Some of the required variables have missing values. Why is that?**

A: In the processing of large amounts of data, a small percentage of descriptions or data fields are inadvertently removed through either software glitches, automated uploader issues, or data entry errors. The program continues to improve the data collection software to minimize the potential for such issues and errors.

## **File Formats**

**Q: In what file formats are the data available?**

A: The datasets are made available as tab delimited TXT files, SPSS data files, or SAS data files.

**Q: Do you provide training on how to use these file formats?**

A: MBSAQIP does not provide training, instruction, or guidance in the use of statistical analysis software.

## **General**

**Q: As an MBSAQIP Accredited Center, do we have any obligation to request or use the PUF?**

A: No. The PUF is solely a benefit of participation for centers who are interested in using the data for research purposes. There are no PUF requirements related to your center's MBSAQIP Accreditation status.

## 9. PUF User Guide Table

The PUF User Guide Table provides a variable-by-variable description for each of the five datasets available in the PUF. This table contains a column titled “Page Number in Variables and Definitions.” To provide investigators with ready access to complete and authoritative variable definitions, the “Page Number in Variables and Definitions” column contains the page number that will locate the complete definition in the *MBSAQIP PUF Variables and Definitions Manual*.

The *MBSAQIP PUF Variables and Definitions Manual* is derived directly from Chapter 4 of the MBSAQIP Operations Manual - the authoritative variable definition reference manual used by the Metabolic and Bariatric Surgical Clinical Reviewers (MBSCRs). Please be aware that these definitions are year specific, though dramatic changes are rare. Investigators receiving the PUF will have the opportunity to download the PUF Variables and Definitions Manual corresponding to the specific PUF year.

The PUF User Guide Table also contains a column titled “Search Term in Variables and Definitions.” As an alternative to searching for variable definitions by page number in the *PUF Variables and Definitions Manual*, users can copy the entire text within an individual cell from the “Search Term in Variables and Definitions” column in the PUF User Guide Table, and paste it into a search field (you can create a search field by simultaneously hitting Ctrl and F on your keyboard) in the *PUF Variables and Definitions Manual*. Once the text is copied into the search field and enter is hit, you will see the variable definition and other information pertinent to that particular variable. Appropriate definitions are provided in the “Search Term in Variables and Definitions” column for those variables that are constructed specifically for the PUF and do not exist in Chapter 4 of the MBSAQIP Operations Manual.

The *PUF Variables and Definitions Manual* will be made available to you for download with the rest of your requested PUF files. Data Use Agreements apply to the use and distribution of the *PUF Variables and Definitions Manual*, as well as all PUF datasets.

Main Variable added in 2016  
Variable added in 2017

Position #	Variable Name	Data Type	Variable Label	Search Term in Variables and Definitions	Page Number in Variables and Definitions	Variable Options	Comments
1	CASEID	Num	Case Identification Number	Each case or record in the database has a unique CaseID number.			
2	SEX	Char	Sex	Variable Name: Gender	3	Male; Female	
3	AGE	Num	Age	Patient's age at time of initial bariatric or metabolic surgery, calculated from Date of Birth and Operation date	2		Values capped between 10 and 80
4	ageGT80	Char	Age Greater Than 80 Years	Indicator for patients with recorded age greater than 80		Yes; No	
5	RACE_PUF	Char	Race	Variable Name: Race	4	White Black or African American American Indian or Alaska Native Native Hawaiian or Other Pacific Islander Asian Unknown	
6	HISPANIC	Char	Hispanic Ethnicity	Variable Name: Hispanic Ethnicity	5	Yes; No; Unknown	
7	CPT	Char	CPT principal operative procedure	Variable Name: CPT® (Current Procedural Terminology) Code for the Principal Operative Procedure	6		
8	CPTUNLISTED_REVCONV	Num	Revision/Conversion Flag	Variable Name: Revision/Conversion Principal Operative Procedure	8	0 = No; 1 = Yes	
9	CPTUNLISTED_GASBPASS	Num	Miniloop Gastric Bypass Flag	Variable Name: Mini-Loop Gastric Bypass (MGB) Principal Operative Procedure	9	0 = No; 1 = Yes	
10	CPTUNLISTED_GASPLICATION	Num	Gastric Plication Flag	Variable Name: Gastric Plication Principal Operative Procedure	10	0 = No; 1 = Yes	
11	CPTUNLISTED_ENDOTHER	Num	Endoscopic Therapy Flag	Variable Name: Endoscopic Therapy Principal Operative Procedure	11	0 = No; 1 = Yes	
12	CPTUNLISTED_OTHER	Num	Other Flag	Variable Name: Other Principal Operative Procedure	12	0 = No; 1 = Yes	
13	CPTUNLISTED_BALLOON	Num	Intragastric Balloon Flag	Variable Name: Intragastric Balloon	14	0 = No; 1 = Yes	
14	CPTUNLISTED_140101	Char	CPT when Principal CPT entered is unlisted (43659 or 43999)	Variable Name: CPT® (Current Procedural Terminology) Code for Revisions/Other Reasons	15		
15	CPTUNLISTED_VBTHERAPY	Char	Vagal Blocking Therapy Flag	Variable Name: Vagal Blocking Therapy (VBLOC™ Therapy)	13	Yes; No	
16	STAPLING_PROC	Char	Stapling Procedure	Variable Name: Is this a Stapling Procedure? (Bariatric Stapling Procedures)	62	Yes; No	
17	GERD	Char	Pre-Op GERD requiring medication	Variable Name: Gastroesophageal Reflux Disease (GERD) Requiring Medication (within 30 days prior to surgery)	28	Yes; No	
18	MOBILITY_DEVICE	Char	Patient's ambulation limited most or all of the time pre-op	Variable Name: Preoperative Is the Patient's Ambulation Limited Most or all of the Time	29	Yes; No	
19	MI_ALL_HISTORY	Char	History of MI	Variable Name: History of Myocardial Infarction	30	Yes; No	
20	PTC	Char	Previous PCI/PTCA	Variable Name: Previous PCI/PTCA	31	Yes; No	
21	PCARD	Char	Previous Cardiac Surgery	Variable Name: Previous Cardiac Surgery	32	Yes; No	
22	HIP	Char	Pre-Op Hypertension requiring medication	Variable Name: Preoperative Hypertension Requiring Medication	33	Yes; No	
23	HTN_MEDS	Char	Number of Hypertensive Medications	Variable Name: Preoperative Number of Anti-Hypertensive Medications	34	0 1 2 3+	
24	HYPERLIPIDEMIA	Char	Pre-Op Hyperlipidemia	Variable Name: Preoperative Hyperlipidemia Requiring Medication	35	Yes; No	
25	HGT	Num	Height	Variable Name: Preoperative Height	18		
26	HGTUNIT	Char	Height Unit	Height Measurement Units	18	cm in	
27	WGT_HIGH_BAR	Num	Highest pre-op weight recorded	Variable Name: Highest Recorded Weight within 1 year at the Program	19		
28	WGT_HIGH_UNIT_BAR	Char	Highest pre-op weight recorded unit	Highest Pre-op Weight Measurement Units	19	kg lbs	
29	WGT_CLOSEST	Num	Pre-Op Weight closest to bariatric surgery	Variable Name: Weight Closest to Surgery	20		
30	WGTUNIT_CLOSEST	Char	Pre-op Weight closest to bariatric surgery unit	Closest to Surgery Pre-op Weight Measurement Units	20	kg lbs	
31	BMI	Num	Pre-op BMI closest to bariatric surgery	Calculated from pre-op weight closest to surgery and height			Values capped between 15 and 150
32	BMI_HIGH_BAR	Num	Highest Recorded Pre-op BMI	Calculated from highest recorded pre-op weight and height			Values capped between 15 and 150
33	HISTORY_DVT	Char	Pre-Op Vein Thrombosis Requiring Therapy	Variable Name: Preoperative Vein Thrombosis Requiring Therapy	36	Yes; No	
34	VENOUS_STASIS	Char	Pre-Op Venous Stasis	Variable Name: Preoperative Venous Stasis	37	Yes; No	
35	DIALYSIS	Char	Pre-Op Requiring or on dialysis	Variable Name: Preoperative Currently Requiring or On Dialysis	39	Yes; No	
36	RENAL_INSUFFICIENCY	Char	Pre-Op Renal Insufficiency	Variable Name: Preoperative Renal Insufficiency	40	Yes; No	
37	THERAPEUTIC_ANTICOAGULATION	Char	Pre-Op Therapeutic Anticoagulation	Variable Name: Preoperative Therapeutic Anticoagulation	43	Yes; No	
38	PREVIOUS_SURGERY	Char	Previous Obesity surgery/foregut surgery	Variable Name: Previous Obesity Surgery/Foregut Surgery	44	Yes; No	
39	DIABETES	Char	Pre-Op Diabetes Mellitus	Variable Name: Preoperative Diabetes Mellitus Requiring Therapy with Non-Insulin Agents or Insulin	21	Non-Insulin Insulin No	
40	SMOKER	Char	Current Smoker within 1 year	Variable Name: Current Smoker within One Year	22	Yes; No	
41	FUNSTATPRESURG	Char	Pre-Op Functional Health Status	Variable Name: Preoperative Functional Health Status	23	Independent Partially Dependent Totally Dependent Unknown	
42	COPD	Char	Pre-Op history of COPD	Variable Name: History of Severe COPD	24	Yes; No	
43	OXYGEN_DEPENDENT	Char	Pre-Op Oxygen Dependent	Variable Name: Preoperative Oxygen Dependent	25	Yes; No	
44	HISTORY_PE	Char	History of PE	Variable Name: History of Pulmonary Embolism	26	Yes; No	
45	SLEEP_APNEA	Char	Pre-Op Obstructive Sleep Apnea	Variable Name: Preoperative Obstructive Sleep Apnea Requiring CPAP/BIPAP (or similar technology)	27	Yes; No	

Position #	Variable Name	Data Type	Variable Label	Search Term in Variables and Definitions	Page Number in Variables and Definitions	Variable Options	Comments
46	CHRONIC_STEROIDS	Char	Pre-Op Steroid/Immunosuppressant Use for Chronic Condition	Variable Name: Preoperative Steroid/Immunosuppressant Use for a Chronic Condition	41	Yes; No	
47	PREV_ORGTRANS	Char	Previous Organ Transplant	Variable Name: Previous Organ Transplant	46	Yes; No	
48	IVC_FILTER	Char	Pre-Op IVC Filter	Variable Name: Preoperative Does the patient have an IVC filter	38	Yes; No	
49	IVC_TIMING	Char	Pre-Op IVC Filter Timing	IVC Filter Timing	38	IVC filter placed in anticipation of the metabolic or bariatric procedure IVC filter was preexisting Unknown	If IVC_FILTER = "No" then this variable will be missing
50	ALBUMIN	Num	Pre-op Albumin Lab Value	Variable Name: Preoperative Lab Value Information	47		Values capped between 1 and 10
51	DPRALBUM	Num	Days from Albumin Pre-Op Labs to Operation	Days from pre-operative Albumin to initial bariatric surgery operation date			Values capped between 0 and 90
52	HCT	Num	Pre-op Hematocrit Lab Value	Variable Name: Preoperative Lab Value Information	47		Values capped between 8 and 60
53	DPRHCT	Num	Days from Hematocrit Pre-Op Labs to Operation	Days from pre-operative Hematocrit to initial bariatric surgery operation date			Values capped between 0 and 90
54	CREATININE	Num	Pre-Op Creatinine Lab Value	Variable Name: Preoperative Lab Value Information	47		Values capped between 0.1 and 15
55	DPRCREAT	Num	Days from Creatinine Pre-Op Labs to Operation	Days from pre-operative Creatinine to initial bariatric surgery operation date			Values capped between 0 and 90
56	HEMO	Num	Pre-Op Hemoglobin A1c Value	Variable Name: Preoperative Lab Value Information	47		Values capped between 4 and 20
57	DPRHEMO	Num	Days from Hemoglobin A1c Pre-Op Labs to Operation	Days from pre-operative Hemoglobin A1c to initial bariatric surgery operation date			Values capped between 0 and 90
58	ASSISTANT_TRAINING_LEVEL	Char	First Assist Training Level	Variable Name: First Assistant Principal Operative Procedure	48	None (no assist or scrub tech/RN only) Physician Assistant/Nurse Practitioner/Registered Nurse First Assist Resident (PGY 1-5+) Minimally Invasive Surgery Fellow Attending - Weight Loss Surgeon Attending - Other	
59	PRIORITY	Char	Emergency Case	Variable Name: Emergency Case Principal Operative Procedure	49	Yes; No	
60	SURGICAL_APPROACH	Char	Surgical Approach	Variable Name: Surgical Approach Principal Operative Procedure	51	N.O.T.E.S. (Natural Orifice Transluminal Endoscopic Single Incision)  Robotic-assisted Conventional laparoscopic (thorascopic) Laparoscopic assisted (thorascopic assisted)  Hand-assisted Open	
61	APPROACH_CONVERTED	Char	Procedure converted to another approach	Variable Name: Was the Principal Operative Procedure converted to another approach?	52	Yes; No	
62	CONVERSION	Char	If approach was converted, what was the final operative approach	Variable Name: Was the Principal Operative Procedure converted to another approach?	52	Single Incision Robotic-assisted Conventional laparoscopic (thorascopic) Laparoscopic assisted (thorascopic assisted)  Hand-assisted Open	If APPROACH_CONVERTED = "No" then this variable will be missing
63	BOUGIE_SIZE	Num	Sleeve Bougie Size	Variable Name: Bougie (or sizing device) size for Gastric Sleeve	56		
64	BOUGIE_SIZE_UNITS	Num	Sleeve Bougie Size Units	Bougie Size Measurement Units	56	1 = French 2 = cm	
65	PYLORUS_DISTANCE	Num	Sleeve Distance to Pylorus	Variable Name: Distance from the Pylorus (in cm) for Gastric Sleeve	57		
66	STAPLE_LINE_REINFORCEMENT	Char	Sleeve Staple Line Reinforcement	Variable Name: Staple Line Reinforcement for Gastric Sleeve	58	Yes; No	
67	OVERSEW	Char	Sleeve Oversew	Variable Name: Oversew for Gastric Sleeve	59	Yes; No	
68	DRAIN_PLACED	Char	Drain placed at the time of the initial operation	Variable Name: Was a Drain Placed at Time of the Initial Operation	53	Yes; No	
69	SWALLOW_STUDY	Char	Swallow study performed day of or day after procedure	Variable Name: Was a Swallow Study Performed the Day of or the Day After the Procedure	54	Yes, routine Yes, selective No	
70	ANASTOMOSIS_CHECKED	Char	Anastomosis/staple line checked w/provocative test to assess for leak	Variable Name: Was the Anastomosis Checked with a Provocative Test to Assess for a Leak	55	Yes No N/A	
71	ASAClass	Char	ASA Class	Variable Name: ASA Classification Principal Operative Procedure	50	ASA 1 - No Disturb ASA 2 - Mild Disturb ASA 3 - Severe Disturbance ASA 4 - Life Threatening ASA 5 - Moribund None Assigned	
72	OTHCP1	Char	Other CPT 1	Variable Name: Other Procedure	60		
73	OTHCP2	Char	Other CPT 2	Variable Name: Other Procedure			
74	OTHCP3	Char	Other CPT 3	Variable Name: Other Procedure			
75	OTHCP4	Char	Other CPT 4	Variable Name: Other Procedure			
76	OTHCP5	Char	Other CPT 5	Variable Name: Other Procedure			
77	OTHCP6	Char	Other CPT 6	Variable Name: Other Procedure			
78	OTHCP7	Char	Other CPT 7	Variable Name: Other Procedure			
79	OTHCP8	Char	Other CPT 8	Variable Name: Other Procedure			
80	OTHCP9	Char	Other CPT 9	Variable Name: Other Procedure			
81	OTHCP10	Char	Other CPT 10	Variable Name: Other Procedure			
82	CONCPT1	Char	Concurrent CPT 1	Variable Name: Concurrent Procedure	61		
83	CONCPT2	Char	Concurrent CPT 2	Variable Name: Concurrent Procedure			

Position #	Variable Name	Data Type	Variable Label	Search Term in Variables and Definitions	Page Number in Variables and Definitions	Variable Options	Comments
84	CONCPT3	Char	Concurrent CPT 3	Variable Name: Concurrent Procedure			
85	CONCPT4	Char	Concurrent CPT 4	Variable Name: Concurrent Procedure			
86	CONCPT5	Char	Concurrent CPT 5	Variable Name: Concurrent Procedure			
87	CONCPT6	Char	Concurrent CPT 6	Variable Name: Concurrent Procedure			
88	CONCPT7	Char	Concurrent CPT 7	Variable Name: Concurrent Procedure			
89	CONCPT8	Char	Concurrent CPT 8	Variable Name: Concurrent Procedure			
90	CONCPT9	Char	Concurrent CPT 9	Variable Name: Concurrent Procedure			
91	CONCPT10	Char	Concurrent CPT 10	Variable Name: Concurrent Procedure			
92	DTOP	Num	Days to operation from hospital admit	Days to initial bariatric or metabolic surgery operation date from hospital admission date			Values capped between 0 and 30
93	DTDISCH_OP	Num	Days to discharge from operation	Days to hospital discharge from initial bariatric or metabolic surgery date			Values capped between 0 and 150
94	DTDISCH_ADMIT	Num	Days to discharge from hospital admit	Days to hospital discharge from hospital admission date			Values capped between 0 and 150
95	DTDEATH_OP	Num	Days to death from operation	Days to death from initial bariatric surgery operation date			Values capped between 0 and 30
96	DTASSESS_OP	Num	Days to Post-Op assessment from operation	Days to post-operative assessment from initial bariatric surgery operation date			Values capped between 0 and 30
97	OPYEAR	Num	Year of Operation	Year of initial bariatric or metabolic surgery			
98	OPLENGTH	Num	Operation Length (minutes)	Length of bariatric/metabolic surgery, in minutes			Values capped between 1 and 720
99	ANESTYPE	Char	Anesthesia Type	Variable Name: Anesthesia Type	16	Monitored anesthesia care (MAC)/IV Sedation General Unknown Other None	If CPTUNLISTED_BALLOON = 0 then this variable will be missing
100	SURGSPECIALTY_BAR	Char	Medical specialty of the physician performing the principal operative procedure	Variable Name: Medical Specialist	17	Metabolic and Bariatric Surgeon General Surgeon Gastroenterologist Other Healthcare Professional Interventional Radiologist	
101	ACTERENALFAILURE	Char	Acute Renal Failure	Variable Name: Postoperative Progressive Renal Insufficiency/ Postoperative Acute Renal Failure Requiring Dialysis	82	Yes; No	
102	CARDIACARRESTCPR	Char	Intra-Op or Post-Op Cardiac Arrest Requiring CPR	Variable Name: Intraoperative or Postoperative Cardiac Arrest Requiring CPR	87	Yes; No	
103	COMA24HOURS	Char	Coma > 24 hours	Variable Name: Postoperative Coma >24 Hours	100	Yes; No	
104	CVA	Char	Stroke/CVA	Variable Name: Intraoperative or Postoperative Stroke/Cerebral Vascular Accident (CVA)	86	Yes; No	
105	POSTOPDEEPPINCISIONALSSI	Num	Number of Post-Op Deep Incisional SSI occurrences	Variable Name: Deep Incisional SSI	67		
106	DSSIPATOS	Char	Deep Incisional SSI PATOS	Variable Name: Deep Incisional SSI – PATOS	68	Yes; No	
107	MYOCARDIALINFR	Char	Intra-op or Post-op Myocardial Infarction	Variable Name: Intraoperative or Postoperative Myocardial Infarction	88	Yes; No	
108	POSTOPVENTILATOR	Num	Number of On Ventilator > 48 hours occurrences	Variable Name: Postoperative On Ventilator > 48 Hours	80		
109	VENTPATOS	Char	Ventilator > 48 hours PATOS	Variable Name: On Ventilator > 48 Hours – PATOS	81	Yes; No	
110	POSTOPORGANSPACESSI	Num	Number of Post-Op Organ/Space SSI occurrences	Variable Name: Organ/Space SSI	69		
111	OSSIPATOS	Char	Organ/Space SSI PATOS	Variable Name: Organ/Space SSI – PATOS	70	Yes; No	
112	POSTOPPNEUMONIA	Num	Number of Post-Op Pneumonia occurrences	Variable Name: Postoperative Pneumonia	73		
113	PNAPATOS	Char	Pneumonia PATOS	Variable Name: Pneumonia – PATOS	76	Yes; No	
114	PREIFNRVINJ	Char	Peripheral Nerve Injury	Variable Name: Postoperative Peripheral Nerve Injury	101	Yes; No	
115	PROGRSRRENALINSUF	Char	Progressive Renal Insufficiency	Variable Name: Postoperative Progressive Renal Insufficiency/ Postoperative Acute Renal Failure Requiring Dialysis	82	Yes; No	
116	PULMONARYEMBOLISM	Char	Pulmonary Embolism	Variable Name: Postoperative Pulmonary Embolism	79	Yes; No	
117	POSTOPSEPSIS	Num	Number of Post-Op Sepsis Occurrences	Variable Name: Postoperative Sepsis	94		
118	SEPSISPATOS	Char	Sepsis PATOS	Variable Name: Sepsis – PATOS	97	Yes; No	
119	POSTOPSEPTICSHOCK	Num	Number of Post-Op Septic Shock Occurrences	Variable Name: Postoperative Septic Shock	98		
120	SEPSHOCKPATOS	Char	Septic Shock PATOS	Variable Name: Septic Shock – PATOS	99	Yes; No	
121	POSTOPSUPERFICIALINCISIONALSSI	Num	Number of Post-Op Superficial Incisional SSI occurrences	Variable Name: Superficial Incisional SSI	64		
122	SSSIPATOS	Char	Superficial Incisional SSI PATOS	Variable Name: Superficial Incisional SSI – PATOS	66	Yes; No	
123	TRANSFINTOPSTOP	Char	Transfusion Intra-op/Post-Op (72h of surgery start time)	Variable Name: Transfusion Intra/Postop (RBC within the First 72 Hrs of Surgery Start Time)	89	Yes; No	
124	BLEEDING_UNITS	Num	Number of Units transfused (1-200)	Variable Name: Transfusion Intra/Postop (RBC within the First 72 Hrs of Surgery Start Time)	89		Values capped between 1 and 20. If TRANSFINTOPSTOP = "No" then this variable will be missing
125	UNPLINTUBATION	Char	Unplanned Intubation	Variable Name: Intraoperative OR Postoperative Unplanned Intubation	77	Yes; No	
126	POSTOPUTI	Num	Number of Post-Op Urinary Tract Infection occurrences	Variable Name: Postoperative Urinary Tract Infection	83		
127	UTIPATOS	Char	Urinary Tract Infection PATOS	Variable Name: UTI – PATOS	85	Yes; No	
128	VEINTHROMBREQTER	Char	Post-Op Vein Thrombosis Requiring Therapy	Variable Name: Postoperative Vein Thrombosis Requiring Therapy	91	Yes; No	
129	WOUNDISRUPTION	Char	Wound Disruption	Variable Name: Wound Disruption	72	Yes; No	
130	UNPLANNEDADMISSIONICU30	Char	Unplanned Admission to ICU within 30 days	Variable Name: Postoperative Unplanned Admission to ICU within 30 Days	102	Yes; No	
131	CDIFF	Char	Clostridium difficile (C. diff) Colitis	Variable Name: Postoperative Clostridium difficile (C.diff) Colitis	92	Yes; No	

Position #	Variable Name	Data Type	Variable Label	Search Term in Variables and Definitions	Page Number in Variables and Definitions	Variable Options	Comments
132	CDIFF_TSTTYPE	Char	Type of C. diff Test performed	Variable Name: Postoperative Clostridium difficile (C.diff) Colitis	92	Toxin DNA Other-C. diff Unknown None	If CDIFF = "No" then this variable will be missing
133	CDIFF_TSTRSLT	Char	Result of C. diff Test	Variable Name: Postoperative Clostridium difficile (C.diff) Colitis	92	Positive; Negative	If CDIFF = "No" then this variable will be missing
134	CDIFF_TRTMT	Char	Was the patient given treatment for C. diff?	Variable Name: Postoperative Clostridium difficile (C.diff) Colitis	92	Yes; No	If CDIFF = "No" then this variable will be missing
135	CDIFF_DIA	Char	Did the patient have diarrhea/loose stools?	Variable Name: Postoperative Clostridium difficile (C.diff) Colitis	92	Yes; No	If CDIFF = "No" then this variable will be missing
136	DEHYD_TRTMT_OUT	Char	Did the patient receive treatment for dehydration (nausea and vomiting, fluid, electrolyte, or nutritional depletion) as an outpatient?	Variable Name: Did the Patient Receive Treatment for Dehydration (Nausea and Vomiting, Fluid, Electrolyte, or Nutritional Depletion) as an Outpatient?	108	Yes; No	
137	DEHYD_NUM_TRTMTS	Num	Number of times the patient received treatment for dehydration (nausea and vomiting, fluid, electrolyte, or nutritional depletion) as an outpatient	Variable Name: Did the Patient Receive Treatment for Dehydration (Nausea and Vomiting, Fluid, Electrolyte, or Nutritional Depletion) as an Outpatient?	108		
138	EMERG_VISIT_OUT	Char	Was the patient seen in an emergency department (ED) which did not result in an inpatient admission?	Variable Name: Was the Patient Seen in any Emergency Department (ED) which did not result in an Inpatient Admission?	109	Yes; No	
139	EMERG_NUM_TIMES	Num	Number of times the patient was seen in an emergency department (ED) which did not result in an inpatient admission	Variable Name: Was the Patient Seen in any Emergency Department (ED) which did not result in an Inpatient Admission?	109		
140	DEATH30	Char	Death during Operation (Intra-Op Death) or Post-Op Death within 30 Days of Procedure	Variable Name: Death During Operation (Intraoperative Death) OR Postoperative Death w/in 30 Days of Procedure	104	Yes; No	
141	DEATH_RELATED_BAR	Char	Death Likely Related to the Operation	Variable Name: Was the Death Likely Related to the Operation	105	Yes; No	
142	DEATH_CAUSE_BAR	Char	Most likely cause of death	Variable Name: Most Likely Cause of Death	106	See "Most Likely Cause of Death Guidance Table" on page 106 in Variables and Definitions	
143	DEATHREVIEW_BAR	Char	Death reviewed by the bariatric committee within 60 days of death	Variable Name: Was the Death Reviewed by the Bariatric Committee within 60 Days of Death?	107	Yes; No	
144	DISCHARGE_DESTINATION	Char	Discharge Destination	Variable Name: Hospital Discharge Destination	103	Skilled care, not home Unskilled facility, not home Facility which was home Home Separate acute care Rehab Expired Unknown	
145	FOLLOW_30DAYS_BAR	Char	Able to follow the patient for the full 30 days	Variable Name: Were you able to follow the patient for the full 30 days?	124	Yes; No	
146	EXAM_PERFORMED_PERSON_BAR	Char	Exam performed by a bariatric physician or PA/NP	Variable Name: Was the Postoperative Exam Performed by a Bariatric Physician, Nurse Practitioner, or Physician's Assistant?	125	Yes; No	
147	REOP30	Char	At least one reoperation within 30 days of op	Variable Name: Did the Patient have a Reoperation within the 30 Day Postoperative Period?	112	Yes; No	
148	READ30	Char	At least one readmission within 30 days of op	Variable Name: Did the Patient have a Hospital Readmission within 30 days of the Principal Procedure?	110	Yes; No	
149	INTV30	Char	At least one intervention within 30 days of op	Variable Name: Did the Patient have an Intervention within the 30 day Postoperative Period?	118	Yes; No	
150	ANTICOAGULATION_INITIATED_BAR	Char	Anticoagulation initiated or presumed/confirmed vein thrombosis/PE	Variable Name: Was Anticoagulation Initiated for Presumed/Confirmed Venous Thrombosis/PE Postoperatively	126	Yes; No	
151	INCISIONAL_HERNIA_NOTED_BAR	Char	Incisional Hernia Noted on Exam	Variable Name: Was an Incisional Hernia Noted on Exam Postoperatively	127	Yes; No	
152	DRAIN_PRESENT_30DAY_BAR	Char	Operative drain still present at 30 days	Variable Name: Was an Operative Drain Still Present at 30 days Postoperative	128	Yes; No	
153	DTPOSTOPSUPERFICIALINCISIONALSSI	Num	Days from operation date to first recorded date of Superficial Incisional SSI	Days to first recorded Superficial Incisional SSI occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If POSTOPSUPERFICIALINCISIONALSSI = 0 then this variable will be missing
154	DTPOSTOPDEEPIPNCISIONALSSI	Num	Days from operation date to first recorded date of Deep Incisional SSI	Days to first recorded Deep Incisional SSI occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If POSTOPDEEPIPNCISIONALSSI = 0 then this variable will be missing
155	DTPOSTOPORGANSAPCESSI	Num	Days from operation date to first recorded date of Organ/Space SSI	Days to first recorded Organ/Space SSI occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If POSTOPORGANSAPCESSI = 0 then this variable will be missing
156	DTPOSTOPVENTILATOR	Num	Days from operation date to first recorded date of Ventilator > 48 Hours	Days to first recorded Ventilator > 48 Hours occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If DTPOSTOPVENTILATOR = 0 then this variable will be missing
157	DTPOSTOPPNEUMONIA	Num	Days from operation date to first recorded date of Pneumonia	Days to first recorded Pneumonia occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If POSTOPPNEUMONIA = 0 then this variable will be missing
158	DTPOSTOPSEPSIS	Num	Days from operation date to first recorded date of Sepsis	Days to first recorded Sepsis occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If POSTOPSEPSIS = 0 then this variable will be missing
159	DTPOSTOPSEPTICSHOCK	Num	Days from operation date to first recorded date of Septic Shock	Days to first recorded Septic Shock occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If POSTOPSEPTICSHOCK = 0 then this variable will be missing
160	DTPOSTOPUTI	Num	Days from operation date to first recorded date of Urinary Tract Infection	Days to first recorded Urinary Tract Infection occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If POSTOPUTI = 0 then this variable will be missing



Position #	Variable Name	Data Type	Variable Label	Search Term in Variables and Definitions	Page Number in Variables and Definitions	Variable Options	Comments
161	DTWOUNDISRUPTION	Num	Days from operation date to Wound Disruption	Days to Wound Disruption occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If WOUNDISRUPTION = "No" then this variable will be missing
162	DTUNPLINTUBATION	Num	Days from operation date to Unplanned Intubation	Days to Unplanned Intubation occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If UNPLINTUBATION = "No" then this variable will be missing
163	DTPULMONARYEMBOLISM	Num	Days from operation date to Pulmonary Embolism	Days to Pulmonary Embolism occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If PULMONARYEMBOLISM = "No" then this variable will be missing
164	DTPROGRSRENALINSUF	Num	Days from operation date to Progressive Renal Insufficiency	Days to Progressive Renal Insufficiency occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If PROGRSRENALINSUF = "No" then this variable will be missing
165	DTACTERENALFAILURE	Num	Days from operation date to Acute Renal Failure	Days to Acute Renal Failure occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If ACTERENALFAILURE = "No" then this variable will be missing
166	DTCVA	Num	Days from operation date to Stroke/CVA	Days to Stroke/CVA occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If CVA = "No" then this variable will be missing
167	DTCOMA24HOURS	Num	Days from operation date to Coma > 24 Hours	Days to Coma > 24 Hours occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If COMA24HOURS = "No" then this variable will be missing
168	DTPREIFNRVINJ	Num	Days from operation date to Peripheral Nerve Injury	Days to Peripheral Nerve Injury occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If PREIFNRVINJ = "No" then this variable will be missing
169	DTCARDIACARRESTCPR	Num	Days from operation date to Cardiac Arrest Requiring CPR	Days to Cardiac Arrest Requiring CPR occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If CARDIACARRESTCPR = "No" then this variable will be missing
170	DTMYOCARDIALINFR	Num	Days from operation date to Myocardial Infarction	Days to Myocardial Infarction occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If MYOCARDIALINFR = "No" then this variable will be missing
171	DTTRANSFINTOPPSTOP	Num	Days from operation date to Transfusion	Days to Transfusion occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If TRANSFINTOPPSTOP = "No" then this variable will be missing
172	DTVEINTHROMBREQTER	Num	Days from operation date to Vein Thrombosis Requiring Therapy	Days to Vein Thrombosis Requiring Therapy occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If VEINTHROMBREQTER = "No" then this variable will be missing
173	DTCDIFF	Num	Days from operation date to C. diff Infection	Days to C. diff Infection occurrence from initial bariatric surgery operation date			Values capped between 0 and 30. If CDIFF = "No" then this variable will be missing

Position #	Variable Name	Data Type	Variable Label	Search Term in Variables and Definitions	Page Number in Variables and Definitions	Variable Options	Comments
------------	---------------	-----------	----------------	--	--	------------------	----------

Reoperation

1	CASEID	Num	Case Identification Number	Each case or record in the database has a unique CaseID number.			
2	REOP_INFORMATION_SOURCE_BAR	Char	Information Source	Variable Name: Information Source for Reoperation	117	Medical record Patient/Family Report Other	
3	REOP_RELATED_BAR	Char	Reoperation related to metabolic/bariatric procedure	Variable Name: Was this Reoperation likely related to a Metabolic or Bariatric procedure?	112	Yes; No	
4	REOP_SUSPECTED_REASON_BAR	Char	Most likely reason for reoperation	Variable Name: Most Likely Reason for Reoperation	115	See "Most Likely Reason for Reoperation Guidance Table" on page 116 in Variables and Definitions	
5	REOP_CODE_BAR	Char	Reoperation Type	Variable Name: Reoperation Type	112	See "Reoperation Guidance Table" on page 113 in Variables and Definitions	
6	REOP_CPT_BAR	Char	Reoperation CPT	Variable Name: CPT code for Reoperation	112		
7	REOP_UNPLANNED	Char	Unplanned reoperation	Variable Name: Was this reoperation unplanned at the time of the principal procedure?	114	Yes; No	
8	REOP_CENTER	Char	Reoperation performed at reporting center	Variable Name: Was this reoperation performed at your hospital?	112	Yes; No	
9	REOP_EMERGENCY	Char	Emergency Reoperation	Variable Name: Reoperation Emergency Case	112	Yes; No	
10	REOP_STAPLING_PROC	Char	Reoperation Stapling Procedure	Variable Name: Was this Reoperation a Stapling Procedure?	112	Yes; No	
11	REOP_REVCONV_PROC	Char	Reoperation Revision/Conversion	Variable Name: Was this procedure a Revision/Conversion?	112	Yes; No	
12	REOP_MINILOOP	Char	Reoperation Mini-Loop Gastric Bypass	Was this procedure a mini-loop gastric bypass?	112	Yes; No	
13	REOP_GAS_PPLICATION	Char	Reoperation Gastric Plication	Was this procedure a gastric plication?	112	Yes; No	
14	REOP_ENDO_THER	Char	Reoperation Endoscopic Therapy	Was this procedure an endoscopic therapy?	112	Yes; No	
15	DTREOP	Num	Days to Reoperation	Days from initial bariatric or metabolic surgery procedure to reoperation.			Values capped between 0 and 30

Readmission

1	CASEID	Num	Case Identification Number	Each case or record in the database has a unique CaseID number.			
2	READ_INFO_SOURCE	Char	Information Source	Variable Name: Did the Patient have a Hospital Readmission within 30 days of the Principal Procedure?	110	Medical record Patient/Family Report Other	
3	READ_RELATED	Char	Readmission related to metabolic/bariatric procedure	Variable Name: Did the Patient have a Hospital Readmission within 30 days of the Principal Procedure?	110	Yes; No	
4	SUSPREASON	Char	Most Likely Reason for Readmission	Variable Name: Did the Patient have a Hospital Readmission within 30 days of the Principal Procedure?	110	See "Most Likely Reason for Readmission Guidance Table" on page 116 in Variables and Definitions	
5	READ_UNPLANNED	Char	Unplanned Readmission	Was this readmission unplanned at the time of the principal procedure ?	110	Yes; No	
6	READ_HOSPITAL	Char	Readmission Occured at Reporting Center	Did this readmission occur at your hospital?	110	Yes; No	
7	DTREAD	Num	Days from Operation date to Readmission	Days from initial bariatric or metabolic surgery procedure to readmission			Values capped between 0 and 30
8	DTREAD_DISCH	Num	Days from Original Discharge to Readmission	Days to readmission from original hospital stay discharge			Values capped between 0 and 30
9	DTDISDT_READ	Num	Days from Readmission to Readmission Discharge	Days to readmission discharge from readmission date			Values capped between 0 and 150

Intervention

1	CASEID	Num	Case Identification Number	Each case or record in the database has a unique CaseID number.			
2	INTV_INFORMATION_SOURCE_BAR	Char	Information Source	Variable Name: Information Source for Intervention	123	Medical Record Patient/Family Report Other	
3	INTV_RELATED_BAR	Char	Intervention related to metabolic/bariatric procedure	Variable Name: Was the Intervention likely related to a Metabolic or Bariatric procedure?	118	Yes; No	
4	INTV_REASON_BAR	Char	Most Likely Reason for Intervention	Variable Name: Most Likely Reason for Intervention	121	See "Most Likely Reason for Intervention Guidance Table" on page 121 in Variables and Definitions	
5	INTV_CODE_BAR	Char	Intervention Type	Variable Name: Intervention Type	120	See options on page 120 in Variables and Definitions	
6	INTV_UNPLANNED_BAR	Char	Unplanned Intervention	Variable Name: Was this intervention unplanned at the time of the principal procedure?	119	Yes; No	
7	INTV_EMERGENCY_BAR	Char	Emergency Intervention	Variable Name: Intervention Emergency Case	118	Yes; No	
8	INTV_THER_BAR	Char	Intervention Therapeutic Endoscopy	Therapeutic Endoscopy	118		If INTV_CODE_BAR does not equal "Therapeutic Endoscopy" then this variable will be missing
9	DTINTV	Num	Days from Operation date to Intervention	Days from the initial metabolic and bariatric surgical operation to the intervention procedure			Values capped between 0 and 30

Position #	Variable Name	Data Type	Variable Label	Search Term in Variables and Definitions	Page Number in Variables and Definitions	Variable Options	Comments
------------	---------------	-----------	----------------	--	--	------------------	----------

**BMI**

1	CASEID	Num	Case Identification Number	Each case or record in the database has a unique CaseID number.			
2	HGT	Num	Height	Variable Name: Preoperative Height	18		Same variable found in the main dataset
3	HGTUNIT	Char	Height Unit	Height Measurement Units		in, cm	Same variable found in the main dataset
4	WGT_CLOSEST	Num	Pre-Op Weight closest to bariatric surgery	Variable Name: Weight Closest to Surgery	20		Same variable found in the main dataset
5	WGTUNIT_CLOSEST	Char	Pre-Op Weight closest to bariatric surgery Unit	Closest to Surgery Pre-op Weight Measurement Units		lbs, kg	Same variable found in the main dataset
6	WGT_HIGH_BAR	Num	Highest Pre-Op Weight recorded	Variable Name: Highest Recorded Weight within 1 year at the Program	19		Same variable found in the main dataset
7	WGT_HIGH_UNIT_BAR	Char	Highest Pre-Op Weight recorded Unit	Highest Recorded Pre-op Weight Measurement Units		lbs, kg	Same variable found in the main dataset
8	WGT_DISCH	Num	Post-Op Weight	Variable Name: Postoperative Weight	129		
9	WGTUNIT_DISCH	Char	Post-Op Weight Unit	Post-op Weight Measurement Units		lbs, kg	
10	BMI	Num	Pre-Op BMI closest to bariatric surgery	Calculated from closest to surgery recorded pre-op weight and height			Same variable found in the main dataset. Values capped between 15 and 150
11	BMI_HIGH_BAR	Num	Highest Recorded Pre-Op BMI	Calculated from highest recorded pre-op weight and height			Same variable found in the main dataset. Values capped between 15 and 150
12	BMI_DISCH	Num	Post-Op BMI	Calculated from post-op weight and height			Values capped between 15 and 150
13	DTBMI	Num	Days from bariatric surgery to Post-Op BMI measurement	Days from bariatric or metabolic surgery to post-op BMI measurement			Values capped between 0 and 30

---

# MBSAQIP<sup>®</sup>

**METABOLIC AND BARIATRIC SURGERY  
ACCREDITATION AND QUALITY IMPROVEMENT PROGRAM**



**100+years**

**AMERICAN COLLEGE OF SURGEONS**

*Inspiring Quality:*

*Highest Standards, Better Outcomes*

